



EGO™


POWER BEYOND BELIEF™

2025 PRODUCT CATALOG



POWER BEYOND BELIEF™

TABLE OF CONTENTS

EGO Power+ Batteries & Chargers	4	EGO Power+ Hedge Trimmer	38
EGO Power+ Riding Mower	6	EGO Power+ Auger	40
EGO Power+ Mower	12	EGO Power+ Cleaning	42
EGO Power+ String Trimmer	18	EGO Power+ Lifestyle	46
EGO Power+ Blower	22	EGO Power+ Mini Bike	52
EGO Power+ Backpack Blower	26	EGO Power+ Portable Power	54
EGO Power+ Multi-Head	28	EGO Power+ Snowblower	56
EGO Power+ Chain Saw	32	EGO Power+ Accessories	66
EGO Power+ Pole Saw	36	 COMMERCIAL	81

WARRANTY INFORMATION

Please find detailed warranty policy terms at egopowerplus.com/warranty-policy

#1 RATED BRAND
IN CORDLESS OUTDOOR POWER

#1 RATED BRAND*

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer runtimes, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium™ technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ™ technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.

*Best rated suite of products 2020–2024, plus more top ratings for more cordless outdoor power products than any other major brand from 2014–2024, as tested and rated by a leading non-profit rating organization.





POWER+ BATTERIES & CHARGERS



INDUSTRY'S MOST ADVANCED TECHNOLOGY

ARC LITHIUM 56V



BETTER PERFORMANCE IS BUILT IN


No matter which EGO battery you choose, you'll get:

- Shock-resistant that design protects from drops and elements
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A 3-year limited warranty; 5-year limited warranty for BA5600T, BA6720T with registration, see egopowerplus.com/warranty-policy for details

FROM EMPTY TO FULLY CHARGED, IN AS LITTLE AS 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, EGO chargers are among the fastest on the market. Their intelligent battery control system constantly monitors each cell's charge and temperature to deliver the quickest, most efficient charge. Plus, the fan-cooling system allows the battery to start charging sooner and finish faster.

As a result, the time it takes to recharge the battery is often less than the runtime you get from a full charge. So you'll always have a battery ready for all-day power and runtime.



VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

$$\text{CAPACITY (Ah)} \times \text{VOLTAGE (V)} = \text{ENERGY (Wh)}$$

$$\text{VOLTAGE (V)} \times \text{CURRENT (A)} = \text{POWER (W)}$$

BATTERIES

BA1400T
2.5Ah BATTERY
140Wh



BA2242T
4.0Ah BATTERY
224Wh



BA2800T
5.0Ah BATTERY
280Wh



BA2800T-2
5.0Ah BATTERY 2-Pack
(560Wh total)

BA3360T
6.0Ah BATTERY
336Wh



BA4200T
7.5Ah BATTERY
420Wh



BA4480T
8.0Ah BATTERY
448Wh



BA5600T
10.0Ah BATTERY
560Wh



BA6720T
12.0Ah BATTERY
672Wh



BA6720T-2
12.0Ah BATTERY 2-Pack
(1,344Wh total)

CHARGERS

CH2100
210W STANDARD CHARGER



CH2800D
280W x2 DUAL PORT CHARGER



CH3200
320W CHARGER



CH5500
550W RAPID CHARGER



CH7000
700W TURBO CHARGER



	BA1400T	BA2242T	BA2800T	BA3360T	BA4200T	BA4480T	BA5600T	BA6720T
BATTERY	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	8.0Ah	10.0Ah	12.0Ah
CAPACITY	140Wh	224Wh	280Wh	336Wh	420Wh	448Wh	560Wh	672Wh
CHARGE TIMES	CH2100	50 MINUTES	80 MINUTES	100 MINUTES	120 MINUTES	145 MINUTES	160 MINUTES	190 MINUTES
	CH2800D	40 MINS (2 BATTERIES)	60 MINS (2 BATTERIES)	80 MINS (2 BATTERIES)	90 MINS (2 BATTERIES)	120 MINS (2 BATTERIES)	130 MINS (2 BATTERIES)	160 MINS (2 BATTERIES)
	CH3200	35 MINUTES	55 MINUTES	70 MINUTES	80 MINUTES	100 MINUTES	105 MINUTES	130 MINUTES
	CH5500	30 MINUTES	30 MINUTES	40 MINUTES	45 MINUTES	60 MINUTES	65 MINUTES	70 MINUTES
	CH7000	30 MINUTES	25 MINUTES	30 MINUTES	35 MINUTES	45 MINUTES	50 MINUTES	60 MINUTES
WEIGHT	2.8 LBS	4.8 LBS	4.9 LBS	6.4 LBS	6.3 LBS	6.6 LBS	7.7 LBS	8.0 LBS
LIMITED WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	5 YEARS	5 YEARS

ACA1000
CHARGING ADAPTOR



BH1001
BACKPACK LINK



CHU6001
6-PORT MOBILE CHARGING CASE
AND CHARGING ADAPTOR KIT



CHV1600
Z6 ZERO TURN RIDING MOWER
CHARGER



SKA2800T
5.0Ah BATTERY AND 210W
STANDARD CHARGER KIT





POWER⁺ RIDING MOWER

INNOVATION AT



EVERY TURN



POWER+ RIDING MOWER

ZT4205S

POWER+ 42" Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY

22 HORSE-POWER EQUIVALENT

2.5 ACRES CUT PER CHARGE



(4) 12.0Ah BATTERIES & 1600W CHARGER



DIGITAL DISPLAY OPTIONS

1. CRUISE CONTROL
2. MODE SELECTION
3. SPEED SELECTION
4. REVERSE

e-STEER™ TECHNOLOGY FOR ULTIMATE CONTROL & PRECISION

CUSTOMIZE YOUR RIDE: 3 DRIVING MODES (CONTROL, STANDARD, SPORT)

ADJUSTABLE SPRING SUSPENSION FOR ULTIMATE COMFORT

32 LED LIGHTS FRONT, SIDE, AND REAR

4 EFFICIENT BRUSHLESS MOTORS

42" 12-GAUGE STAMPED DECK

ONE BATTERY POWERS 80+ TOOLS



PEAK POWER TECHNOLOGY

COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

**PEAK
POWER
TECHNOLOGY**

COMBINES THE
POWER OF
TWO OR MORE
EGO ARC LITHIUM™
BATTERIES

ZT5207L

POWER+ 52" Z6 ZERO TURN RIDING MOWER

25 HORSE-
POWER
EQUIVALENT

4 ACRES
CUT PER CHARGE



(6) 12.0Ah BATTERIES & 1600W CHARGER

INDUSTRY'S FASTEST CHARGER!
40AH IN 2 HOURS

CARRYING
CONVENIENCE:
CUP HOLDERS AND
COMPACT STORAGE

STAY CONNECTED:
BLUETOOTH, USB
CHARGING PORT,
PHONE HOLDER

ADJUSTABLE SPRING
SUSPENSION FOR
ULTIMATE COMFORT

CUSTOMIZE YOUR RIDE:
3 DRIVING MODES
(CONTROL, STANDARD, SPORT)

MULCHES AND BAGS
LIKE PREMIUM GAS

32 LED LIGHTS FRONT, SIDE, AND REAR

BALANCED, LOW-PROFILE DESIGN FOR HILLY SURFACES

52" 10-GAUGE FABRICATED STEEL CUTTING DECK

5 INDEPENDENT
BRUSHLESS MOTORS

ZT4204L

POWER+ 42" Z6 ZERO TURN RIDING MOWER

25 HORSE-
POWER
EQUIVALENT

2 ACRES
CUT PER CHARGE



(4) 10.0Ah BATTERIES



	ZT5207L	ZT4205S	ZT4204L
BATTERY / CHARGER	(6) 12.0Ah / 1600W	(4) 12.0Ah / 1600W	(4) 10.0Ah / 1600W
HORSEPOWER	25 HP	22 HP	22 HP
WATTS / WH	20,000 / 4,032	13,440 / 2,688	17,920 / 2,240
DECK WIDTH	52 INCH FABRICATED	42 INCH STAMPED	42 INCH STAMPED
CUT AREA	UP TO 4 ACRES	UP TO 2.5 ACRES	UP TO 2 ACRES
CUT HEIGHTS	10: 1.5-4.5"	10: 1.5-4.5"	10: 1.5-4.5"
STEERING	LAP BARS	E-STEER™	LAP BARS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY



POWER+ RIDING MOWER

TR4204

POWER+ 42" T6 LAWN TRACTOR

21 HORSE-POWER EQUIVALENT

1.5 ACRES CUT PER CHARGE



(6) 6.0Ah BATTERIES & 1600W CHARGER



CUSTOMIZE YOUR RIDE WITH DIGITAL DISPLAY INCLUDING:
3 BLADE SETTINGS,
3 DRIVE SPEEDS,
CRUISE CONTROL



CONVENIENT BUILT-IN TOOL STORAGE

LED LIGHTS

ADJUSTABLE 18" HIGH BACK CUSHIONED SEAT

LARGE 20" x 10" REAR WHEEL FOR TRACTION

DUAL BRUSHLESS CUTTING MOTORS


42" 12-GAUGE STAMPED STEEL CUTTING DECK

STEEL BUMPER PROTECTS FROM LOW-SPEED IMPACTS

PEAK POWER TECHNOLOGY

COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

BATTERY / CHARGER	(6) 6.0Ah / 700W
HORSEPOWER	21 HP
WATTS / WH	20,160 / 2,016
DECK WIDTH	42 INCH STAMPED
CUT AREA	UP TO 1.5 ACRES
CUT HEIGHTS	12: 1.5-4.5"
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY



EXCEEDS THE POWER OF GAS



**YOU'VE NEVER SEEN
BATTERY POWER LIKE THIS**

LM2206SP

POWER+ 1100 SERIES MOWER
22" ALUMINUM DECK SELECT CUT™ SELF-PROPELLED WITH
10.0Ah BATTERY AND 700W TURBO CHARGER



MAX TORQUE



MINUTES RUNTIME



10.0Ah BATTERY & 700W CHARGER

SELECT BLADE SPEED (ECO, NORMAL, TURBO), MONITOR BATTERY STATUS, AND TURN HEADLIGHTS ON/OFF WITH LED CONTROLS



ALUMINUM HANDLES

LED HEADLIGHTS FOR CUTTING IN LOW LIGHT CONDITIONS

2.5 BUSHEL BAG SPILL-FREE DESIGN FOR EASY REMOVAL



22" CAST ALUMINUM DECK WITH LIFETIME WARRANTY RESISTS DENTS AND RUST

PREMIUM BRUSHLESS MOTOR

DUAL-LEVER, 8-POINT HEIGHT ADJUSTMENT

FOLDS IN SECONDS FOR CONVENIENT STORAGE AND EASY CLEANING

Additional SKU Configurations:
LM2200SP Battery and charger not included.



POWER+ MOWER

LM2244SP-2

POWER+ 1000 SERIES MOWER
22" SUPER COMPOSITE DECK SELECT CUT™ SYSTEM
WITH PEAK POWER AND TOUCH DRIVE™ SELF-PROPELLED,
TWO 6.0Ah BATTERIES AND 550W CHARGER



(2) 6.0Ah BATTERIES
& 550W CHARGER

LCD DISPLAY
INFO AT YOUR FINGERTIPS

BLADE SPEED ADJUSTMENT FOR
OPTIMAL PERFORMANCE AND RESULTS

TOUCH DRIVE 2.0
OPTIMIZED ERGONOMICS



REDESIGNED HANDLES
FOR ADDED STRENGTH
AND EASY FOLDING

**PEAK
POWER
TECHNOLOGY**

HIGH EFFICIENCY BRUSHLESS MOTOR
DELIVERS MORE POWER AND RPM



SUPER COMPOSITE DECK WITH
10 YEAR WARRANTY
BETTER STRENGTH DECK ALLOWS
FOR HIGHER BLADE SPEEDS FOR
BETTER CUT QUALITY

PRECISION MULCH CONTROL FOR ADDED
CUSTOMIZATION AND BETTER CUT QUALITY

FOLDS IN SECONDS FOR CONVENIENT
STORAGE AND EASY CLEANING



Additional SKU Configurations:
LM2240SP Battery and charger not included.

LM2236SP

POWER+ 1000 SERIES MOWER
22" SUPER COMPOSITE DECK WITH SELECT CUT™ AND TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND 700W TURBO CHARGER




SELECT CUT X
MULTI-BLADE SYSTEM

NEW



LM2156SP

POWER+ 800 SERIES MOWER
21" SELECT CUT™ XP SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND 700W TURBO CHARGER



SELECT CUT XP
MULTI-BLADE SYSTEM



Additional SKU Configurations:
LM2150SP Battery and charger not included.
LM2156SP-2 Includes (2) 10.0Ah batteries and 700W charger.

LM2135SP

POWER+ 800 SERIES MOWER
21" SELECT CUT™ SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 7.5Ah BATTERY AND 550W RAPID CHARGER



SELECT CUT X
MULTI-BLADE SYSTEM



Additional SKU Configurations:
LM2130SP Battery and charger not included.
LM2132SP-2 Includes (2) 4.0Ah batteries and 550W charger.
LM2134SP-2 Includes (2) 6.0Ah batteries and 550W charger.

LM2135

POWER+ 800 SERIES PUSH MOWER
21" SELECT CUT™ SYSTEM WITH 7.5Ah BATTERY AND 550W RAPID CHARGER



SELECT CUT X
MULTI-BLADE SYSTEM



Additional SKU Configurations:
LM2130 Battery and charger not included.



POWER+ MOWER

LM2125SP

**POWER+ 600 SERIES MOWER
21" SELF-PROPELLED WITH TOUCH DRIVE™, 7.5Ah BATTERY
AND 550W RAPID CHARGER**



TORQUE



MINUTES
RUNTIME



7.5Ah BATTERY &
550W CHARGER



Additional SKU Configurations:
LM2120SP Battery and charger not included.
LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger.
LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.

LM2114SP

**POWER+ 600 SERIES MOWER
21" SELF-PROPELLED WITH 6.0Ah BATTERY AND
320W CHARGER**



TORQUE



MINUTES
RUNTIME



6.0Ah BATTERY &
320W CHARGER



Additional SKU Configurations:
LM2110SP Battery and charger not included.

LM2114

**POWER+ 600 SERIES PUSH MOWER
21" WITH 6.0Ah BATTERY AND 320W CHARGER**



TORQUE



MINUTES
RUNTIME



6.0Ah BATTERY &
320 WATT CHARGER



Additional SKU Configurations:
LM2110 Battery and charger not included.
LM2112 Includes 4.0Ah battery and 320W charger.

Limited quantities of additional models
available, while supplies last.

See egopowerplus.com/power-mowers
for details and where to buy.

MOWER COMPARISON CHART

	LM2206SP	LM2244SP-2	LM2236SP	LM2156SP	LM2135SP	LM2135	LM2125SP	LM2114SP	LM2114
BATTERY / CHARGER	10.0Ah / 700W	(2) 6.0Ah / 550W	10.0Ah / 700W	10.0Ah / 700W	7.5Ah / 550W	7.5Ah / 550W	7.5Ah / 550W	6.0Ah / 320W	6.0Ah / 320W
MAX CUTTING TORQUE	11.1 FT-LBS	10.6 FT-LBS	10.6 FT-LBS	8.3 FT-LBS	7.0 FT-LBS	7.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS
RUNTIME*	70 MINUTES	90 MINUTES	75 MINUTES	75 MINUTES	60 MINUTES	65 MINUTES	60 MINUTES	50 MINUTES	55 MINUTES
DECK WIDTH	22 INCHES	22 INCHES	22 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES
SELF-PROPELLED	YES	YES	YES	YES	YES	NO	YES	YES	NO
CUTTING SPEED CONTROL	MULTI SPEED SETTINGS	MULTI SPEED SETTINGS	MULTI SPEED SETTINGS	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†
DECK MATERIAL	CAST ALUMINUM	SUPER COMPOSITE	SUPER COMPOSITE	POLY	POLY	POLY	POLY	POLY	POLY
BLADE SPEED	UP TO 3300 RPM	UP TO 3200 RPM	UP TO 3200 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM
CUT-HEIGHT SETTINGS	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")
BAG SIZE	2.5 BUSHEL	2.5 BUSHEL	2.5 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL
MULCHING	YES; with PLUG	INTEGRATED PLUG with PRECISION MULCH CONTROL	INTEGRATED PLUG with PRECISION MULCH CONTROL	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG
SELECT CUT™ COMPATIBLE	YES	YES	YES	YES	YES	YES	NO	NO	NO
VERTICAL STORAGE	YES	YES	YES	YES	YES	YES	YES	YES	YES
WEIGHT WITHOUT BATTERY	83.8 LBS	68.5 LBS	70.3 LBS	54.5 LBS	54.5 LBS	49.4 LBS	51.1 LBS	50.9 LBS	45.2 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY‡	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

* Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

† Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery runtime while maintaining grass cutting performance.

‡ With registration, lifetime warranty on the deck, see egopowerplus.com/warranty-policy for details.

* With registration, see egopowerplus.com/warranty-policy for details.

SELECT CUT™ MULTI-BLADE SYSTEM

The Select Cut™ Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.



TOUCH DRIVE™ TECHNOLOGY

Engage the self-propel function with the touch of your palm, change the speed at the same time with the scroll of a dial.

EGOTM
POWER⁺ STRING TRIMMER



WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT

ST1623T

POWER+ 16" POWERLOAD™ STRING TRIMMER WITH LINE IQ™



CONTINUOUS CUTTING SWATH



CARBON FIBER SHAFT




4.0Ah BATTERY & 320W CHARGER

DIGITAL SPEED SELECTOR & INDICATOR FOR MAXIMUM CONTROL

VARIABLE SPEED TRIGGER WITH INTEGRATED LOCK OFF

TELESCOPIC ADJUSTABLE SHAFT FOR ULTIMATE COMFORT

DURABLE CARBON FIBER SHAFT WITH LIFETIME WARRANTY



GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

HIGH-EFFICIENCY BRUSHLESS MOTOR

CONTINUOUS 16" CUTTING SWATH FOR FASTER, MORE EFFICIENT TRIMMING

**WORLD'S FIRST
LINE IQ™ TECHNOLOGY**



**AUTOFEED
NO BUMP
HIGH-PERFORMANCE
TRIMMING**

Additional SKU Configurations:
ST1620T Battery and charger not included.



POWER+ STRING TRIMMER

ST1611T

POWER+ 16" POWERLOAD™ STRING TRIMMER WITH TELESCOPIC CARBON FIBER SHAFT



CUTTING SWATH




ADJUSTABLE TELESCOPING CARBON FIBER SHAFT



2.5Ah BATTERY & 210W CHARGER



NEW



GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

Additional SKU Configurations:
ST1610T Battery and charger not included.

ST1511T

POWER+ 15" POWERLOAD™ STRING TRIMMER WITH TELESCOPIC ALUMINUM SHAFT





CUTTING SWATH



ADJUSTABLE TELESCOPING SHAFT



2.5Ah BATTERY & 210W CHARGER



GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

Additional SKU Configurations:
ST1510T Battery and charger not included.

ST1502SA

POWER+ 15" STRING TRIMMER WITH RAPID RELOAD



CUTTING SWATH



RAPID RELOAD



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
ST1500SF Battery and charger not included.

ST1502LB

POWER+ 15" STRING TRIMMER & 530CFM BLOWER COMBO KIT



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
ST1503LB Includes 4.0Ah battery and 210W charger.

ST6151LB

POWER+ 15" POWERLOAD™ STRING TRIMMER WITH ALUMINUM TELESCOPIC SHAFT & 615 CFM BLOWER COMBO KIT




2.5Ah BATTERY & 210W CHARGER



PATENTED POWERLOAD™ TECHNOLOGY

POWERLOAD™
FEED
THE LINE
PUSH
A BUTTON



STEP 1
 Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



STEP 2
 Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



STEP 3
 Press and hold the line-loading button to start the line-winding motor.

STRING TRIMMER COMPARISON CHART

	ST1623T	ST1611T	ST1511T	ST1502SA
CUTTING WIDTH	16 INCHES	16 INCHES	15 INCHES	15 INCHES
RUNTIME*	UP TO 60 MINUTES	UP TO 45 MINUTES	UP TO 45 MINUTES	UP TO 30 MINUTES
KITTED BATTERY	4.0Ah	2.5Ah	2.5Ah	2.5Ah
SPEED CONTROL	2-SPEED VARIABLE	2-SPEED VARIABLE	2-SPEED VARIABLE	VARIABLE
NO LOAD SPEEDS	3,500-4,800 / 4,000-5,500 RPM	3,500-4,800 / 4,000-5,500 RPM	3,500-4,500 / 4,000-5,800 RPM	4,000-5,800 RPM
SOFT START	YES	YES	YES	YES
SHAFT MATERIAL	TELESCOPIC CARBON FIBER	TELESCOPIC CARBON FIBER	TELESCOPIC ALUMINUM	ALUMINUM
LINE DIAMETER	0.095 INCHES	0.095 INCHES	0.095 INCHES	0.095 INCHES
DUAL LINE	YES	YES	YES	YES
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	7.5 LBS	7.5 LBS	7.7 LBS	7.3 LBS
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

*Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

The EGO logo features three green horizontal bars of varying lengths to the left of the word "EGO" in a bold, white, sans-serif font with a trademark symbol.

POWER+ BLOWER

A high-angle photograph of a man in a light blue t-shirt and dark pants using a grey and black EGO blower on a stone-paved path. The path is surrounded by a thick layer of fallen brown leaves. The man's shadow is cast on the path. The blower is a long, narrow, handheld device with a black handle and a grey body.

LB8803-2

POWER+ 880 CFM BLOWER



VARIABLE SPEED



MINUTES RUNTIME



(2) 4.0Ah BATTERIES & 320W CHARGER



LCD DISPLAY WITH PERFORMANCE STATUS

CARBON FIBER BODY FOR REDUCED WEIGHT

NEW

HIGH EFFICIENCY BRUSHLESS MOTOR

SECONDARY GRIP ZONES FOR TWO-HANDED OPERATION



FLAT NOZZLE ATTACHMENT INCLUDED



SHOULDER STRAP INCLUDED

Additional SKU Configurations:
LB8800 Battery and charger not included.



POWER+ BLOWER

LB7654

POWER+ 765 CFM BLOWER



VARIABLE SPEED



MINUTES RUNTIME



5.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations:
LB7650 Battery and charger not included.
LB7654-2 Includes 2.5Ah battery and 550W charger.

LB6703

POWER+ 670 CFM BLOWER



VARIABLE SPEED



MINUTES RUNTIME



4.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations:
LB6700 Battery and charger not included.

LB6504

POWER+ 650 CFM BLOWER



VARIABLE SPEED



MINUTES RUNTIME



5.0Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
LB6500 Battery and charger not included.

LB6151

POWER+ 615 CFM BLOWER



VARIABLE SPEED



MINUTES RUNTIME



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
LB6150 Battery and charger not included.
LB6153 Includes 4.0Ah battery and 210W charger.

LB5302

POWER+ 530 CFM BLOWER



VARIABLE
SPEED



MINUTES
RUNTIME



2.5Ah BATTERY
& 210W CHARGER



Additional SKU Configurations:
LB5300 Battery and charger not included.



BLOWER COMPARISON CHART

	LB8803-2	LB7654	LB6703	LB6504	LB6151	LB5302
AIR VOLUME (CFM)	UP TO 880	UP TO 765	UP TO 670	UP TO 650	UP TO 615	UP TO 530
AIR SPEED (MPH)	UP TO 200	UP TO 200	UP TO 180	UP TO 180	UP TO 170	UP TO 130
	(WITH TAPERED NOZZLE)	(WITH TAPERED NOZZLE)	(WITH TAPERED NOZZLE)	(WITH TAPERED NOZZLE)	(WITH TAPERED NOZZLE)	
LOW SPEED RUNTIME*	UP TO 160 MINUTES	UP TO 150 MINUTES	UP TO 160 MINUTES	UP TO 200 MINUTES	UP TO 100 MINUTES	UP TO 75 MINUTES
HIGH SPEED RUNTIME*	UP TO 24 MINUTES	UP TO 25 MINUTES	UP TO 24 MINUTES	UP TO 30 MINUTES	UP TO 15 MINUTES	UP TO 22 MINUTES
TURBO RUNTIME*	UP TO 16 MINUTES	UP TO 15 MINUTES	UP TO 12 MINUTES	UP TO 15 MINUTES	UP TO 10 MINUTES	UP TO 10 MINUTES
KITTED BATTERY	(2) 4.0Ah	5.0Ah	4.0Ah	5.0Ah	2.5Ah	2.5Ah
SPEED SETTING	VARIABLE / CRUISE / TURBO	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE
SOUND PRESSURE	64dB	64dB	64dB	64dB	62dB	62dB
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	4.9 LBS	4.6 LBS	4.8 LBS	4.8 LBS	4.8 LBS	4.8 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

A man is shown from the back, wearing a grey EGO backpack blower. The blower is a large, grey and black device with a green battery pack on the back. He is standing on a paved path covered with fallen brown leaves. The background shows a grassy area with trees.

EGOTM

POWER+ BACKPACK BLOWER

**HALF THE WEIGHT OF GAS
BACKPACK BLOWERS***

*Based on comparable gas backpack models

LB6003

POWER+ 600 CFM BACKPACK BLOWER



VARIABLE
SPEED



MINUTES
RUNTIME



7.5Ah BATTERY
& 210W CHARGER

ADJUSTABLE HARNESS
& LOCKING WAIST BELT

BLOWER TUBE
STORAGE KNOB

HIGH-EFFICIENCY
BRUSHLESS MOTOR

ADJUSTABLE TUBE LENGTH

ADVANCED AERONAUTICS
TURBINE FAN ENGINEERING

AIR VOLUME (CFM)	UP TO 600
AIR SPEED (MPH)	UP TO 160
LOW SPEED RUNTIME*	UP TO 180 MINUTES
HIGH SPEED RUNTIME*	UP TO 33 MINUTES
TURBO RUNTIME	UP TO 23 MINUTES
KITTED BATTERY	7.5Ah
SPEED SETTING	VARIABLE/CRUISE CONTROL
SOUND PRESSURE	64dB
MOTOR TYPE	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	12.5 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations:
LB6000 Battery and charger not included.
LB6004 Includes 7.5Ah battery and 550W charger.

*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER+ MULTI-HEAD

ONE HEAD POWERS MULTIPLE TOOLS



PH1420

POWER+ MULTI-HEAD POWER HEAD



MULTI-HEAD SYSTEM



CARBON FIBER SHAFT



PH1400

POWER+ MULTI-HEAD POWER HEAD



MULTI-HEAD SYSTEM



	PH1400	PH1420
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR
ROTATING DIRECTION	COUNTER-CLOCKWISE	COUNTER-CLOCKWISE
SPEED CONTROL	2-SPEED VARIABLE	DIGITAL 2-SPEED VARIABLE
DRIVE SHAFT MATERIAL	7MM SOLID STEEL	7MM SOLID STEEL
DRIVE TUBE TYPE	ALUMINIUM	CARBON FIBER
COUPLING MECHANISM	TOOL-FREE QUICK CHANGE	TOOL-FREE QUICK CHANGE
WEIGHT	5.8 LBS	6.1 LBS
LIMITED WARRANTY	5-YEAR TOOL	5-YEAR TOOL

MST1704

**POWER+ MULTI-HEAD POWER HEAD
17" POWERLOAD™ STRING TRIMMER WITH LINE IQ™**



MULTI-HEAD SYSTEM



CARBON FIBER SHAFT



5.0 Ah BATTERY & 320W CHARGER

NEW

HIGH-EFFICIENCY BRUSHLESS MOTOR

DIGITAL SPEED SELECTOR AND INDICATOR

VARIABLE-SPEED TRIGGER WITH SAFETY LOCK


PH1420

QUICK-RELEASE ADJUSTABLE HANDLE

SWITCH ATTACHMENTS QUICKLY WITH THE SIMPLE AND SECURE COUPLING MECHANISM

STA1700

DURABLE CARBON FIBER SHAFT FOR ADDED DURABILITY & LIFETIME WARRANTY



GET BACK TO WORK IN SECONDS

**PATENTED
POWERLOAD™
TECHNOLOGY**

**AUTOFEED
NO BUMP
HIGH-PERFORMANCE
TRIMMING
LINE IQ™
TECHNOLOGY**

ALL MULTI-TOOL SETS

SET SKU	INCLUDED SKU'S
MBB2100	PH1400, BBA2100
ME0800	PH1400, EA0800
ME0801	PH1400, EA0800
MHC1502	PH1400, STA1500 and EA0800
MHC1603	PH1420, STA1600 and EA0820
MHT2001	PH1400, HTA2000
MPS1001	PH1400, PSA1000
MSS1203	PH1400, SSA1200
MST1501	PH1400, STA1500
MST1603	PH1420, STA1600
MST1704	PH1420, STA1700



POWER+ MULTI-HEAD

DA1400

POWER+ MULTI-HEAD DETHACHER



RUNTIME* with 2.5Ah	UP TO 17 MINUTES
with 5.0Ah	UP TO 35 MINUTES
with 7.5Ah	UP TO 52 MINUTES
ROTATING SPEED	3,000 RPM
DEPTH ADJUSTMENT	3 LEVELS

COMPATIBLE BLADE	SCARIFIER (2026)
TINE REPLACEMENT	TOOL-FREE
# OF TINES	14
TINE MATERIAL	STEEL
DRIVE SHAFT MATERIAL	SOLID STEEL

SHAFT MATERIAL	ALUMINUM
WEIGHT	15.9 LBS
TOTAL LENGTH	25 INCHES
LIMITED WARRANTY	5-YEAR TOOL

STA1600

POWER+ MULTI-HEAD 16" CARBON FIBER STRING TRIMMER ATTACHMENT WITH POWERLOAD™



RUNTIME* with 2.5Ah	UP TO 18 MINUTES
with 5.0Ah	UP TO 45 MINUTES
with 7.5Ah	UP TO 72 MINUTES

CUTTING SPEED	5,000-6,000 RPM
CUTTING WIDTH	16 INCHES
LINE LOAD METHOD	POWERLOAD™**
LINE DIAMETER	.095 INCHES

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.4 LBS
TOTAL LENGTH	38 INCHES
LIMITED WARRANTY	5-YEAR TOOL

EA0820

POWER+ MULTI-HEAD CARBON FIBER EDGER ATTACHMENT



RUNTIME* with 2.5Ah	NOT RECOMMENDED
with 5.0Ah	UP TO 60 MINUTES
with 7.5Ah	UP TO 100 MINUTES
CUTTING SPEED	3,400-4,000 RPM
CUTTING DEPTH	UP TO 3 INCHES

BLADE LENGTH	8 INCHES
BLADE THICKNESS	0.12 INCHES
BLADE ARBOR HOLE SIZE	1 INCH
GUIDE WHEEL SIZE	5" x 1.5"
DEBRIS GUARD MATERIAL	ALUMINUM CASTING

SHAFT MATERIAL	CARBON FIBER
WEIGHT	5.0 LBS
TOTAL LENGTH	36 INCHES
LIMITED WARRANTY	5-YEAR TOOL

BCA1220

12" BRUSH CUTTER ATTACHMENT



RUNTIME* with 2.5Ah	UP TO 27 MINUTES
with 5.0Ah	UP TO 60 MINUTES
with 7.5Ah	UP TO 95 MINUTES
CUTTING SPEED	6,000 RPM

CUTTING WIDTH	12 INCHES
BLADE THICKNESS	0.098 INCHES
BLADE ARBOR HOLE SIZE	1 INCH
DEBRIS GUARD MATERIAL	PLASTIC

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.88 LBS
TOTAL LENGTH	40.2 INCHES
LIMITED WARRANTY	5-YEAR TOOL

CTA9500

POWER+ MULTI-HEAD 9.5" CULTIVATOR ATTACHMENT



RUNTIME* with 2.5Ah	UP TO 40 MINUTES
with 5.0Ah	UP TO 80 MINUTES
with 7.5Ah	UP TO 120 MINUTES

CUTTING SPEED	210-240 RPM
CUTTING WIDTH	4 BLADES: 9.5 INCHES
CUTTING WIDTH	2 BLADES: 8 INCHES <small>ADJUSTABLE</small>

SHAFT MATERIAL	ALUMINUM
WEIGHT	8.59 LBS
TOTAL LENGTH	39 INCHES
LIMITED WARRANTY	5-YEAR TOOL

** POWERLOAD™ functionality only compatible with PH1420.

* Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

BBA2100

POWER+ MULTI-HEAD BRISTLE BRUSH ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES
with 5.0Ah	UP TO 100 MINUTES
with 7.5Ah	UP TO 150 MINUTES

SPEED	210-240 RPM
CLEANING WIDTH	22 INCHES
SHAFT MATERIAL	ALUMINUM

WEIGHT	11 LBS
TOTAL LENGTH	40 INCHES
LIMITED WARRANTY	5-YEAR TOOL



RBA2100

POWER+ MULTI-HEAD RUBBER BROOM ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES
with 5.0Ah	UP TO 100 MINUTES
with 7.5Ah	UP TO 150 MINUTES

SPEED	210-240 RPM
CLEANING WIDTH	21 INCHES
SHAFT MATERIAL	ALUMINUM

WEIGHT	13.8 LBS
TOTAL LENGTH	40.5 INCHES
LIMITED WARRANTY	5-YEAR TOOL



PSA1020

POWER+ MULTI-HEAD CARBON FIBER POLE SAW ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 70 CUTS
with 5.0Ah	UP TO 140 CUTS
with 7.5Ah	UP TO 210 CUTS
CUTTING SPEED	15 M/S
GUIDE BAR LENGTH	10 INCHES

BLADE MATERIAL	OREGON/90PX040X
CUTTING DIAMETER	8 INCHES MAX
CHAIN PITCH	.375 INCH
CHAIN GAUGE	.043 INCHES
OIL TANK CAPACITY	7.4 OUNCES

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.9 LBS
TOTAL LENGTH	56 INCHES
LIMITED WARRANTY	5-YEAR TOOL



HTA2020

POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 37 MINUTES
with 5.0Ah	UP TO 82 MINUTES
with 7.5Ah	UP TO 122 MINUTES
CUTTING SPEED	2,800-3,200 SPM

BLADE LENGTH	20 INCHES
CUTTING CAPACITY	1 INCH
CUTTING ANGLES	12 FIXED POSITIONS
BLADE MATERIAL	DOUBLE-SIDED LASER-CUT STEEL BLADE

SHAFT MATERIAL	CARBON FIBER
WEIGHT	5.1 LBS
TOTAL LENGTH	63 INCHES
LIMITED WARRANTY	5-YEAR TOOL



SSA1200

POWER+ MULTI-HEAD SNOW SHOVEL ATTACHMENT

RUNTIME* with 4.0Ah	UP TO A 4-CAR DRIVEWAY WITH 6 INCHES OF SNOW
SPEED	2-SPEED / VARIABLE
CLEARING WIDTH	12 INCHES
THROWING DISTANCE	UP TO 25 FEET
ADJUSTABLE THROWING DIRECTION	30° LEFT AND 30° RIGHT

SHAFT MATERIAL	ALUMINUM
WEIGHT	11.4 LBS
TOTAL LENGTH	31 INCHES
LIMITED WARRANTY	5-YEAR TOOL



EP7501

POWER+ MULTI-HEAD CARBON FIBER EXTENSION POLE

For use with Multi-Head Pole Saw Attachments:
PSA1000, PSA1020 only



EP7500


POWER+ MULTI-HEAD EXTENSION POLE ATTACHMENT



* Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER⁺ CHAIN SAW



ADVANCED TOOL-FREE TENSIONING TECHNOLOGY

CS2005

POWER+ 20" CORDLESS CHAIN SAW

55 CC

55 CC
OF POWER

135 CUTS

UP TO
135 CUTS
6x6 Lumber



6.0Ah
BATTERY



DIGITAL DISPLAY WITH
CUT SPEED CONTROLS,
BATTERY CHARGE
STATUS, AND SAFETY
BRAKE INDICATOR

OMNIDIRECTIONAL AUTO
CHAIN BRAKE ACTIVATES
CHAIN BRAKE FROM A
VARIETY OF TOOL ORIENTATIONS

BRIGHT LED LIGHTS ILLUMINATE
YOUR WORK AREA



20-INCH BAR AND FULL CHISEL TOOTH CHAIN

METAL BUCKING SPIKES

HIGH-EFFICIENCY
BRUSHLESS MOTOR

Additional SKU Configurations:
CS2000 Battery and charger not included.



POWER+ CHAIN SAW

CS1804

POWER+ 18" CORDLESS CHAIN SAW

45 CC
45 CC OF POWER

300 CUTS
UP TO 300 CUTS

5.0Ah BATTERY & 210W CHARGER



Additional SKU Configurations:

CS1800 Battery and charger not included.

CS1803 Includes 4.0Ah battery and 210W charger.

CS1804-2 Includes two 5.0Ah batteries and 550W charger.

CS1611

POWER+ 16" CHAIN SAW (40CC)

40 CC
40 CC OF POWER

130 CUTS
UP TO 130 CUTS

2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:

CS1610 Battery and charger not included.

CS1613 Includes 4.0Ah battery and 210W charger.

CS1604

POWER+ 16" CHAIN SAW

35 CC
35 CC OF POWER

250 CUTS
UP TO 250 CUTS

5.0Ah BATTERY & 210W CHARGER



Additional SKU Configurations:

CS1600 Battery and charger not included.

CS1401

POWER+ 14" CHAIN SAW

30 CC
30 CC OF POWER

130 CUTS
UP TO 130 CUTS

2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:

CS1400 Battery and charger not included.

CS1201

POWER+ 12" COMPACT CHAIN SAW

30 CC
30 CC OF POWER

130 CUTS
UP TO 130 CUTS

2.5Ah BATTERY & 210W CHARGER

NEW

TOOL-LESS CHAIN TENSION



Additional SKU Configurations:
CS1200 Battery and charger not included.

This saw is designed to work directly with only 5.0Ah battery or lower.

CHAIN SAW COMPARISON CHART

	CS2005	CS1804	CS1611	CS1604	CS1401	CS1201
BAR & CHAIN SPECS	20 INCH 3/8" PITCH, .050" GAUGE, 69 DRIVE LINKS	18 INCH 3/8" PITCH, .050" GAUGE, 62 DRIVE LINKS	16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS	16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS	14 INCH 3/8" PITCH, .043" GAUGE, 52 DRIVE LINKS	12 INCH 3/8" PITCH, .043" GAUGE, 45 DRIVE LINKS
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
CC POWER EQUIVALENT	50CC	45CC	40CC	35CC	30CC	30CC
RUNTIME*	UP TO 135 CUTS (6x6 LUMBER)	UP TO 300 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)	UP TO 250 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)
BATTERY CAPACITY	6.0Ah	5.0Ah	2.5Ah	5.0Ah	2.5Ah	2.5Ah
CHAIN SPEED	UP TO 25 M/S	UP TO 20 M/S	UP TO 20 M/S	UP TO 13.5 M/S	UP TO 13.5 M/S	UP TO 20 M/S
OIL RESERVOIR	6.76 OUNCES	7 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES
AUTOMATIC OILING	YES	YES	YES	YES	YES	YES
TOOL-FREE TENSIONING	NO	YES	YES	YES	YES	YES
CHAIN BRAKE	YES	YES	YES	YES	YES	YES
WEIGHT WITHOUT BATTERY	13.0 LBS	9.6 LBS	9.0 LBS	8.5 LBS	8.2 LBS	5.69 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

*Runtime may vary depending on the charge level of the battery and user's operation technique.



POWER+ POLE SAW



INDUSTRY'S FIRST LED CUT LINE INDICATOR

PS1001

POWER+ 10" TELESCOPIC POLE SAW



LED CUT LINE INDICATOR



CARBON FIBER SHAFT



2.5Ah BATTERY & 210W CHARGER

LED CUT LINE INDICATOR

HIGH-EFFICIENCY BRUSHLESS MOTOR

TOOL-FREE TENSIONING

QUICK ADJUST HANDLE

TELESCOPIC CARBON FIBER SHAFT

UP TO 100 CUTS PER CHARGE

SHOULDER STRAP HOOK (SHOULDER STRAP INCLUDED)



EP1000

3.3 FOOT CARBON FIBER EXTENSION POLE

Only compatible with PS1000, PS1001 and PSX2510 telescoping carbon fiber pole saws. Sold separately.


BAR & CHAIN SPECS	10 INCHES 1/4" PITCH, .043" GAUGE, 56 DRIVE LINKS
MOTOR TYPE	BRUSHLESS MOTOR
CC POWER EQUIVALENT	25CC
RUNTIME with 2.5Ah battery	UP TO 100 CUTS (4 x 4 PINE)
CHAIN SPEED	VARIABLE SPEED UP TO 20 M/S
TOOL LENGTH	UP TO 9 FEET
WEIGHT WITHOUT BATTERY	9.2 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

*Runtime may vary depending on the charge level of the battery and user's operation technique.

Additional SKU Configurations:
PS1000 Battery and charger not included.

The EGO logo consists of three horizontal green bars of varying lengths on the left, followed by the letters "EGO" in a bold, white, sans-serif font with a small trademark symbol (TM) to the upper right.

POWER⁺ HEDGE TRIMMER



**BALANCED, CONTROLLED,
POWERFUL CUTTING**

HT2601

POWER+ 26" HEDGE TRIMMER

1.2" CUT


INCREASED CUT CAPACITY

3,400 SPM

STROKES PER MINUTE



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
HT2600 Battery and charger not included.

HT2501

POWER+ 25" HEDGE TRIMMER

1.25" CUT

INCREASED CUT CAPACITY

3,200 SPM

STROKES PER MINUTE



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
HT2500 Battery and charger not included.

HT2411

POWER+ BRUSHLESS HEDGE TRIMMER

1" CUT

INCREASED CUT CAPACITY

3,000 SPM

STROKES PER MINUTE



2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:
HT2410 Battery and charger not included.

	HT2601	HT2501	HT2411
BLADE LENGTH	26 INCHES	25 INCHES	24 INCHES
BLADE GAP	1.2 INCHES	1.25 INCHES	1 INCH
RUNTIME* with included 2.5Ah battery	UP TO 60 MINUTES	UP TO 40 MINUTES	UP TO 75 MINUTES
SPEED CONTROL	SINGLE SPEED	2-SPEED SETTING (HIGH/LOW)	SINGLE SPEED
NO LOAD SPEEDS	3,400 SPM	2,800/3,200 SPM	3,000 SPM
BLADE TYPE	DIAMOND GROUND CUTTING BLADES	LASER CUT, DIAMOND GROUND CUTTING BLADES	HARDENED STEEL CUTTING BLADE
CUTTING ACTION	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE
WEIGHT WITHOUT BATTERY	6.92 LBS	8.4 LBS	6.16 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER+ AUGER

EG0803

POWER+ EARTH AUGER




TORQUE



4.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	4.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 4.0Ah	UP TO 50+ HOLES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	32 INCHES
WEIGHT WITHOUT BATTERY	33 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING

BORES UP TO 50 HOLES ON A SINGLE CHARGE WITH INCLUDED 56V 4.0Ah ARC LITHIUM™ BATTERY

HIGH-EFFICIENCY BRUSHLESS MOTOR DELIVERS 65 FT-LBS OF TORQUE TO BORE INTO HARD, DENSE SOIL

UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS FOR ADDED VERSATILITY

ANTI-KICKBACK PROTECTION SAFEGUARDS FROM UNEXPECTED JAMS

ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND IMPROVES SAFETY

8" EARTH AUGER DRILL BIT INCLUDED

Additional SKU Configurations:
EG0800 Battery and Charger not included.

160804
POWER+ ICE AUGER

65
FT-LBS
TORQUE

5.0Ah BATTERY &
320W CHARGER

BATTERY / CHARGER	5.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 5.0Ah	UP TO 2,500 INCHES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	39 INCHES
WEIGHT WITHOUT BATTERY	30 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations:
160800 Battery and Charger not included.



HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING

CUTS UP TO 2,500 INCHES OF ICE ON A SINGLE CHARGE WITH THE INCLUDED 5.0Ah ARC LITHIUM™ BATTERY

HIGH-EFFICIENCY BRUSHLESS MOTOR DELIVERS 65 FT-LBS OF TORQUE TO DRILL THROUGH THE THICKEST ICE

UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS FOR ADDED VERSATILITY

ANTI-KICKBACK PROTECTION SAFEGUARDS FROM UNEXPECTED JAMS

ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND IMPROVES SAFETY

8" ICE AUGER DRILL BIT INCLUDED

POWER MORE POSSIBILITIES



HPW2105

POWER+ 2100PSI PRESSURE WASHER

2,100
PSI

2100 PSI



6.0Ah BATTERY &
320W CHARGER

BATTERY / CHARGER	6.0Ah / 320W
PSI	2100 MAX
GPM	1.2 MAX
RUNTIME with included 6.0Ah	UP TO 30 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 40°
WEIGHT WITHOUT BATTERY	15 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes flexible high-pressure hose, siphon hose, pressure washer gun, stainless steel wand, foam cannon, filter



Additional SKU Configurations:
HPW2100 Battery and Charger not included.



POWER+ CLEANING

HPW3204-2

POWER+ 3200PSI PRESSURE WASHER

3,200
PSI

3200 PSI



(2) 6.0Ah BATTERIES
& 320W CHARGER

BATTERY / CHARGER	(2) 6.0Ah / 320W
PSI	3200 MAX
GPM	1.2/2.0 MAX
RUNTIME with two included 6.0Ah	UP TO 60 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 25° 40° RINSE
WEIGHT WITHOUT BATTERY	36.2 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes flexible high-pressure hose, siphon hose, quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter.

TELESCOPIC HANDLE PULLS OUT FOR EASY TRANSPORT AND COLLAPSES FOR COMPACT STORAGE

PEAK
POWER
TECHNOLOGY

UP TO 60 MINUTES OF RUNTIME ON A SINGLE CHARGE WITH TWO INCLUDED 6.0AH ARC LITHIUM™ BATTERIES

SELECT ECO, HIGH, AND TURBO MODES AND VIEW BATTERY CHARGE STATUS WIRELESSLY WITH WAND-INTEGRATED DISPLAY



WAND STORAGE

QUICK CONNECTION POINTS FOR HOSE AND WAND ALLOW EASY SETUP AND BREAKDOWN

CONNECT TO GARDEN HOSE OR DRAW FROM ANY FRESH WATER SOURCE WITH INCLUDED SIPHON HOSE

3200 PSI FOR POWERFUL AND EFFICIENT CLEANING

7.25" WHEELS

Additional SKU Configurations:
HPW3200 Battery and Charger not included.

WDV0904

POWER+ 9 GALLON WET/DRY VACUUM



UP TO 110 CFM



5.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	5.0Ah / 320W
CFM	110 MAX
RUNTIME with included 5.0Ah	UP TO 60 MINUTES
SUCTION POWER (WATER LIFT)	100 INCH MAX
MOTOR	BRUSHLESS MOTOR
TANK SIZE	9 GALLON
INCLUDED ACCESSORIES	DUST BAG EXTENSION TUBE (2X) CREVICE NOZZLE ROUND BRUSH DUST NOZZLE LARGE FLOOR NOZZLE RUBBER BAR COMPACT FLOOR NOZZLE VACUUM HOSE REMOTE CONTROL CHARGING CABLE FOR REMOTE POWER TOOL ADAPTER
WEIGHT WITHOUT BATTERY	26.7 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

BRUSHLESS MOTOR DELIVERS 110 CFM OF POWERFUL SUCTION FOR 100-INCH WATER LIFT



9-GALLON TANK CAPACITY WITH DRAIN PLUG

POWERHEAD REMOVAL CLIP

NOZZLE STORAGE

RUNS UP TO 60 MINUTES ON LOW, 30 MINUTES ON HIGH, 20 MINUTES ON TURBO WITH INCLUDED 5.0Ah ARC LITHIUM™ BATTERY



FILTER CLEANING FUNCTION KEEPS WET/DRY VACUUM FILTER CLEAN FOR MAXIMUM SUCTION AND EFFICIENCY

WIRELESS REMOTE

- LED LIGHT
- ENABLES TURBO MODE
- START/STOP
- CHARGED VIA USB-C



ONBOARD STORAGE CONVENIENTLY STORES NOZZLES, EXTENSIONS, AND HOSE

Additional SKU Configurations:
WDV0900 Battery and Charger not included.



POWER+ LIFESTYLE

POWER TO MATCH YOUR LIFESTYLE



FN1000

POWER+ OSCILLATING MISTING FAN

1,700
CFM

1700 CFM

60

HOURS
RUNTIME

NEW

2 MISTING NOZZLES

CARRYING HANDLE

ROTARY PIVOT -
MANUAL ANGLE
ADJUSTMENT



IOT ENABLED -
AIR SPEED,
MISTING MODE,
OSCILLATION MODE,
FAN TIMER

MODE ADJUSTMENT -
WIND SPEED
MIST MODE
OSCILLATION MODE

BATTERY / CHARGER	TOOL ONLY
AIR FLOW	UP TO 1,700 CFM
WIND SPEED	UP TO 20 MPH
RUNTIME on speed 1 with 5.0Ah battery	UP TO 60 HOURS
BLADE SIZE	10 INCHES
SPEED CONTROL	6 SPEEDS WITH TURBO
MISTING MODES	3 (HIGH, LOW, INTERMITTENT)
WEIGHT WITHOUT BATTERY	11 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL



FN1800

POWER+ MISTING FAN

5,000
CFM

5000 CFM

60
HOURS

RUNTIME

4 MISTING NOZZLES
50-1,750 RPM BLADE ROTATION
UP TO 5,000 CFM
2X AIR FLOW COMPARED TO STANDARD 20" BOX FAN

UP TO 60 HOURS OF RUNTIME
(ON SPEED 1 WITH RECOMMENDED
5.0AH 56V ARC LITHIUM™ BATTERY,
AVAILABLE SEPARATELY)

225° ANGLE ADJUSTMENT

LOW NOISE - 42 dBA (ON SPEED 1)

TRAVELS EASILY WITH A
TELESCOPIC HANDLE AND
DURABLE WHEELS



ULTIMATE CONTROL
6 AIR SPEED SETTINGS FROM 750 TO 5,000 CFM
2 MISTING MODES:
INTERMITTENT MODE (BEST FOR EFFECTIVE WATER MANAGEMENT)
CONTINUOUS MODE (BEST FOR HOT AND SUNNY DAYS)
DROP INTAKE FILTER IN A BUCKET TO COOL DOWN AN AREA
EQUIVALENT TO A LARGE ENTERTAINMENT PATIO (540 SQUARE FEET)

BATTERY / CHARGER	TOOL ONLY
AIR FLOW	750 - 5,000 CFM
WIND SPEED	UP TO 23 MPH
RUNTIME <small>on speed 1 with 5.0Ah battery</small>	UP TO 60 HOURS
BLADE SIZE	18 INCHES
SPEED CONTROL	6 SPEEDS WITH TURBO
MISTING MODES	INTERMITTENT, CONTINUOUS
WEIGHT WITHOUT BATTERY	22.9 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL



POWER+ LIFESTYLE

BSP3500

POWER+ BACKPACK SPRAYER

350
PSI
350 PSI

BATTERY / CHARGER	TOOL ONLY
TANK SIZE	4 GALLONS
PSI	UP TO 350 PSI
RUNTIME with 2.5Ah battery	UP TO 52 GALLONS (WITHOUT NOZZLE) UP TO 15 GALLONS (UNDER MAX PRESSURE WITH ADJUSTABLE NOZZLE)
PRESSURE CHANGE	VARIABLE
MAX GPM	0.6 GPM
NOZZLES	1x ADJUSTABLE CONE 1x FAN 1x FOAM 1x SHOWER
WEIGHT WITHOUT BATTERY	16.72 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL

NEW



ADJUSTABLE PRESSURE KNOB
0-350 PSI ADJUSTMENT

TRIPLE
FILTRATION
SYSTEM

4 GALLON TRANSLUCENT TANK

WAIST SUPPORT STRAPS

BRUSHLESS MOTOR
AXIAL PUMP



SK1800

POWER+ 180W OUTDOOR BLUETOOTH SPEAKER



PREMIUM SOUND
PERFORMANCE



HOURS
RUNTIME



100W USB-C
PD IN/OUT



180W OUTPUT
7 SPEAKERS

USER INTERFACE -
POWER
VOLUME
BLE PAIRING
SPEAKER PAIRING
BASS BOOST

BATTERY / CHARGER	TOOL ONLY
SPEAKER OUTPUT	180W
RUNTIME with 5.0Ah battery	UP TO 50 HOURS
BLE VERSION	5.3
CONNECT RANGE	180 FEET
SPEAKER PAIRING	UP TO 100 DEVICES
BLE QUALITY	TWS (TRUE WIRELESS STEREO)
SPEAKERS	1x WOOFERS 2x MID RANGE 2x TWEETERS 2x PASSIVE RADIATORS
PORTS	100W PD TYPE-C IN/OUT, USB-A, AUX
WEIGHT WITHOUT BATTERY	17 LBS
IP RATING	IP54
LIMITED WARRANTY	5-YEAR TOOL



POWER+ LIFESTYLE

LT1000

POWER+ PORTABLE AREA LIGHT

10,000
LUMENS OF
4500K DAYLIGHT

35
HOURS
RUNTIME

UP TO 10,000
LUMENS
4500K NATURAL
WHITE LIGHT

INTEGRATED HANDLE

360-DEGREE
ILLUMINATION WITH
FOLDABLE PANELS

LOCK KNOB
FOR ANGLE
ADJUSTMENT

DIFFUSED PANELS FOR
SOFTER LIGHT OUTPUT

5 BRIGHTNESS SETTINGS
AND SELECTABLE PANELS
FOR ULTIMATE CONTROL

COMPACT DESIGN

RAFTER HOOKS & TRIPOD MOUNT

1x USB-A PORT

1x USB



BATTERY / CHARGER	TOOL ONLY
LUMENS	600 - 10,000
COLOR TEMPERATURE (KELVIN)	4500K
RUNTIME on low with 5.0Ah battery	35 HOURS
BRIGHTNESS	5 SETTINGS
WEIGHT WITHOUT BATTERY	9.48 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL

LTO300

POWER+ COMPACT AREA LIGHT



ADJUSTABLE COLOR
TEMPERATURE



LUMENS



HOURS
RUNTIME



1x USB-C PORT

COLOR TEMPERATURE
ADJUSTS FROM 2700K TO
5000K TO FIT YOUR NEEDS
ADJUSTABLE BRIGHTNESS
UP TO 3,000 LUMENS
WARM LIGHT NATURALLY
HELPS KEEP BUGS AWAY



CONVENIENT HANDLES
FOR ANGLE VERSATILITY

RAFTER HOOKS & TRIPOD MOUNT



MOUNT, HANG, OR POSITION
NUMEROUS WAYS FOR
VERSATILE LIGHTING



BATTERY / CHARGER	TOOL ONLY
LUMENS	500 - 3,000
COLOR TEMPERATURE (KELVIN)	2700K - 5500K
RUNTIME on low with 5.0Ah battery	60 HOURS
BRIGHTNESS	5 SETTINGS
WEIGHT WITHOUT BATTERY	4 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL



POWER+ MINI BIKE

**POWERFUL, QUIET
ACCELERATION WITH TOP
SPEEDS UP TO 28 MPH**

MB1005-2
POWER+ MINI BIKE

UP TO
20
UP TO 20 MILES
OF RANGE

(2) 7.5Ah BATTERIES
& DUAL PORT CHARGER

DIGITAL DISPLAY TO MONITOR SPEED,
ACCELERATION, RANGE, AND MORE

THREE DRIVING MODES + REVERSE:
ECO, NORMAL, AND SPORT MODES
WITH PARENTAL CONTROLS FOR A FULLY
CUSTOMIZABLE RIDING EXPERIENCE

LED HEADLIGHTS

LARGE ENOUGH STORAGE
FOR AN EXTRA BATTERY

FRONT
AND REAR
HYDRAULIC
SUSPENSION



OFF-ROAD TIRE WITH AGGRESSIVE
TREAD FOR ANY ADVENTURE

POWERFUL HUB MOTOR
DELIVERS QUIET
ACCELERATION WITH TOP
SPEEDS UP TO 28 MPH

DUAL HYDRAULIC DISC BRAKES

FOR OFF-ROAD USE ONLY BY RIDERS AGES 16 AND OLDER, UP TO 220 POUNDS



**PEAK
POWER
TECHNOLOGY**

COMBINES THE
POWER OF
TWO OR MORE
EGO ARC LITHIUM™
BATTERIES

TOP SPEED	28 MPH
MOTOR POWER	1000W RATED
RANGE*	UP TO 20 MILES
WEIGHT WITHOUT BATTERY	140 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	1 YEAR

*Range may vary and depend on the battery used, charge level of battery, and user's operation technique.

Additional SKU Configurations:
MB1000 Battery and Charger not included.



POWER+ PORTABLE POWER



POWER UP ANYWHERE

PAD1800 POWER+ NEXUS ESCAPE 180W INVERTER

Pure sine wave delivers high-quality, clean power to sensitive electronics



PAD5000 POWER+ NEXUS ESCAPE 400W INVERTER

Power up to four total devices simultaneously or charge your 56V EGO Battery



Additional SKU Configurations:
PAD5003 Includes 4.0Ah battery and 100W USB-C PD charger.

	PAD1800	PAD5000
POWER OUTPUT	180W CONTINUOUS 300W PEAK	400W CONTINUOUS 800W PEAK
WAVE	PURE SINE	PURE SINE
OUTLETS	120V AC	120V AC
PORTS	USB-C PD OUT (100W) USB-A (12W)	USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W)
BUILT IN LIGHT	YES	YES
WARRANTY	5-YEAR TOOL	5-YEAR TOOL

PST3042

POWER+ NEXUS PORTABLE POWER STATION

World's first battery power source to match gas generators

BATTERY	(2) 7.5Ah
POWER OUTPUT	2000W CONTINUOUS 3000W PEAK
OUTLETS	(3) 120V AC
PORTS	(4) USB-A
DISPLAY	BRIGHT LED DISPLAY SHOWS RUNTIME
CONSTRUCTION	ROBUST STEEL HANDLES
BATTERY CHARGER	4 PORTS (WHEN PLUGGED IN)
USAGE	INDOOR AND OUTDOOR
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY




Additional SKU Configurations:
PST3040 Power Station only
PST3041 Includes (4) 5.0Ah batteries

CH1800

POWER+ NEXUS SOLAR PANEL CHARGER


The EGO Solar Panel Charger is the only charger approved for use with the EGO Nexus Power Station.



SP1000

POWER+ 100W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 100W Solar Panel.



SP2000

POWER+ 200W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 200W Solar Panel

EGOTM

POWER⁺ SNOWBLOWER



**TAKE ON ANYTHING
WINTER THROWS AT YOU**

SNT2807


POWER+ 28" SELF-PROPELLED 2-STAGE SNOW BLOWER WITH PEAK POWER™



THROWING DISTANCE



(2) 12.0Ah BATTERIES & DUAL PORT CHARGER



NEW



28" CLEARING WIDTH
21" INTAKE HEIGHT

**PEAK
POWER
TECHNOLOGY**

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 32-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 6.0Ah ARC Lithium™ batteries

Additional SKU Configurations:
SNT2800 Battery and Charger not included.



POWER+ SNOWBLOWER

SNT2416


POWER+ 24" SELF-PROPELLED 2-STAGE XP SNOW BLOWER WITH PEAK POWER™



THROWING DISTANCE



(2) 10.0Ah BATTERIES & DUAL PORT CHARGER



UP TO 50' THROWING DISTANCE

LED HEADLIGHTS

HEIGHT ADJUSTABLE HANDLE


24" CLEARING WIDTH
20" INTAKE HEIGHT

15" x 3.5" SNOW TIRES

ADJUSTABLE SKID SHOES

PEAK POWER TECHNOLOGY

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 24-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 10.0Ah ARC Lithium™ batteries

Additional SKU Configurations:
SNT2410 Battery and Charger not included.

SNT2405


POWER+ 24" SELF-PROPELLED 2-STAGE SNOW BLOWER WITH PEAK POWER™



THROWING
DISTANCE



(2) 7.5Ah BATTERIES
& DUAL PORT CHARGER



**PEAK
POWER
TECHNOLOGY**

COMBINES THE POWER OF ANY
TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO AN 18-CAR DRIVEWAY WITH 8" OF SNOW
with included (2) 7.5Ah ARC Lithium™ batteries

Additional SKU Configurations:
SNT2400 Battery and Charger not included.



POWER+ SNOWBLOWER

SNT2134

POWER+ 21" SINGLE-STAGE SNOW BLOWER WITH PEAK POWER™



THROWING DISTANCE



(2) 6.0Ah BATTERIES & DUAL PORT CHARGER


EGO'S MOST POWERFUL SINGLE-STAGE MACHINE



Additional SKU Configurations:
SNT2130 Battery and Charger not included.

PEAK POWER TECHNOLOGY

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 14-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 6.0Ah ARC Lithium™ batteries

SNT2125AP

POWER+ AUGER-PROPELLED SNOW BLOWER



AUGER-PROPELLED DESIGN



THROWING DISTANCE




(2) 7.5Ah BATTERIES & DUAL PORT CHARGER



Additional SKU Configurations:
SNT2120AP Battery and Charger not included.

PEAKTM
POWER
TECHNOLOGY

COMBINES THE POWER OF ANY
TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 16-CAR DRIVEWAY WITH 8" OF SNOW
with included (2) 7.5Ah ARC Lithium™ batteries



POWER+ SNOWBLOWER

SNT2112

POWER+ PEAK POWER™ SNOW BLOWER WITH STEEL AUGER



THROWING DISTANCE



(2) 5.0Ah BATTERIES & DUAL PORT CHARGER

UP TO 40' THROWING DISTANCE

BRIGHT LED HEADLIGHTS


STEEL AUGER POWERS THROUGH HEAVY SNOW

21" CLEARING WIDTH
32" INTAKE HEIGHT



PEAK POWER™ TECHNOLOGY

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 12-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 5.0Ah ARC Lithium™ batteries

Additional SKU Configurations:

SNT2110 Battery and charger not included.

SNT2114 Includes (2) 7.5Ah batteries and DUAL PORT charger.

SNT2102

POWER+ SNOW BLOWER WITH PEAK POWER™



THROWING DISTANCE



(2) 5.0Ah BATTERIES & 550W CHARGER



Additional SKU Configurations:

SNT2100 Battery and charger not included.

SNT2101 Includes (2) 4.0Ah batteries and 320W charger.

SNS1201
POWER+ 12" SNOW SHOVEL



THROWING
DISTANCE



2.5Ah BATTERY
& 320W CHARGER



ERGONOMIC PISTOL GRIP

AUGER
2-SPEED CONTROL



ADJUSTABLE AUXILIARY HANDLE
FOR IMPROVED COMFORT



FOLDING SHAFT

60-DEGREE DIRECTIONAL
THROW CONTROL DIAL



6" PLASTIC AUGER

12" CLEARING WIDTH



CLEAR UP TO A 3-CAR DRIVEWAY WITH 6" OF SNOW
with included 2.5Ah ARC Lithium™ battery

Additional SKU Configurations:
SNS1200 Battery and charger not included.



POWER+ SNOWBLOWER

MSS1203

POWER+ MULTI-HEAD SNOW SHOVEL



MULTI-HEAD SYSTEM



25' THROWING DISTANCE



4.0Ah BATTERY & 320W CHARGER

HIGH-EFFICIENCY BRUSHLESS MOTOR

2-SPEED SWITCH

VARIABLE SPEED TRIGGER


QUICK-RELEASE ADJUSTABLE HANDLE

60° DIRECTIONAL CONTROL

OVERLOAD PROTECTION CLUTCH PREVENTS DAMAGE FROM UNEXPECTED JAMS

25° DIRECTIONAL THROWING DISTANCE

12" CLEARING SURFACE



CLEAR UP TO A 4-CAR DRIVEWAY WITH 6" OF SNOW with included 4.0Ah ARC Lithium™ battery

SNOW BLOWER COMPARISON CHART

	SNT2807	SNT2416	SNT2405	SNT2134	SNT2125AP	SNT2112	SNT2102	SNS1201	MSS1203
BATTERY / CHARGER	(2) 12.0Ah / DUAL PORT	(2) 10.0Ah / DUAL PORT	(2) 7.5Ah / DUAL PORT	(2) 6.0Ah / DUAL PORT	(2) 7.5Ah / DUAL PORT	(2) 5.0Ah / DUAL PORT	(2) 5.0Ah / 550W	2.5Ah / 210W	4.0Ah / 320W
STAGE	DUAL			SINGLE			SHOVEL		
CLEARING CAPACITY*	UP TO A 32 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 24 CAR DRIVEWAY 8 INCHES SNOW	UP TO AN 18 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 14 CAR DRIVEWAY 8 INCHES	UP TO A 16 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 12 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 10 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 3 CAR DRIVEWAY 6 INCHES SNOW	UP TO A 4 CAR DRIVEWAY 6 INCHES SNOW
CLEARING WIDTH	28 INCHES	24 INCHES		21 INCHES			12 INCHES		
INTAKE HEIGHT	21 INCHES	20 INCHES		13 INCHES			6 INCHES		
THROWING DISTANCE	UP TO 60 FEET	UP TO 50 FEET	UP TO 50 FEET	UP TO 45 FEET	UP TO 45 FEET	UP TO 40 FEET	UP TO 35 FEET	UP TO 25 FEET	UP TO 25 FEET
PROPULSION	SELF-PROPEL	SELF-PROPEL	SELF-PROPEL	PUSH	AUGER PROPEL	PUSH	PUSH	PUSH	PUSH
AUGER MATERIAL	STEEL	STEEL	STEEL	STEEL	HEAVY DUTY RUBBER TIPPED METAL FRAME	STEEL	RUBBER TIPPED, METAL FRAME	IMPACT RESISTANT PLASTIC	IMPACT RESISTANT PLASTIC
CHUTE DIRECTION (D) PITCH CONTROLS (P)	ELECTRONIC 2-IN-1 JOYSTICK (D and P)	2-IN-1 JOYSTICK (D and P)	DUAL REMOTE LEVERS (D and P)	DUAL REMOTE LEVERS	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	MANUAL DIAL	MANUAL DIAL
CHUTE RADIUS	200°	200°	200°	180°	180°	180°	180°	60°	60°
HEATED HANDLES	YES	YES	NO	YES	YES	NO	NO	NO	NO
WHEEL SIZE	16" x 5"	15" x 3.5"	15" x 3.5"	9"	7.13"	7.13"	7.13"	7.13"	7.13"
LED HEADLIGHTS	YES	YES	YES	YES	YES	YES	YES	NO	NO
COMPACT STORAGE	NO	NO	NO	YES	YES	YES	YES	YES	YES
HEIGHT ADJUST HANDLE	YES	YES	YES	YES	NO	NO	NO	NO	NO
BARE TOOL WEIGHT	181 LBS	147 LBS	150 LBS	66 LBS	50.6 LBS	50.6 LBS	50.7 LBS	14 LBS	28 LBS
WEATHER RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY [†]	5-YEAR TOOL 5-YEAR BATTERY [†]	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

* Clearing capacity based on batteries included with kit and may vary based on charge level of battery, condition of snow, and user's operation technique.

[†] With registration, 5-year limited tool warranty, 5-year limited battery warranty, see egopowerplus.com/warranty-policy for details.

RIDING MOWER ACCESSORIES

AB4200D

42" Riding Mower
Replacement Blade Set



AB4201D

42" Riding Mower
High-Lift Bagging Blade Set



AB5200D

52" Z6 Zero Turn Riding Mower
Replacement Blade Set



AB5201D

52" Z6 ZTR Mower
High-Lift Bagging Blade Set



ABK4200

Z6 Zero Turn Riding Mower
Bagger Kit



ABK4200T

42" T6 Lawn Tractor
Bagging Kit



ABK5200

Z6 52" Zero Turn Riding Mower
Bagger Kit



ABP5200

52" Z6 Zero Turn Riding Mower
Mulch Plug



AMB1000

Z6 Zero Turn Riding Mower
Rear Bumper



AMG1000

Z6 Zero Turn Riding Mower
Onboard Storage Bin



AMP4200

42" Riding Mower
Mulch Plug



AMS1000

Z6 Zero Turn Riding Mower
Sun Shade



UNIVERSAL RIDING MOWER ACCESSORIES

ADT1000

Riding Mower Tow Behind
Utility Cart



CRM001

42" Zero Turn Riding Mower Cover



RIDING MOWER ACCESSORIES COMPATIBILITY MATRIX

	E-STEER	LAP BAR		TRACTOR
	ZT4205S	ZT5207L	ZT4204L	TR4204
AB4200D 42" Riding Mower Replacement Blade Set	●		●	●
AB4201D 42" Riding Mower High-Lift Bagging Blade Set	●		●	●
AB5200D 52" Z6 Zero Turn Riding Mower Replacement Blade Set		●		
AB5201D 52" Z6 ZTR Mower High-Lift Bagging Blade Set		●		
ABK4200 Z6 Zero Turn Riding Mower Bagger Kit	●		●	
ABK4200T 42" T6 Lawn Tractor Bagging Kit				●
ABK5200 Z6 52" Zero Turn Riding Mower Bagger Kit		●		
ABP5200 52" Z6 Zero Turn Riding Mower Mulch Plug		●		
AMB1000 Z6 Zero Turn Riding Mower Rear Bumper	●	●	●	
AM61000 Z6 Zero Turn Riding Mower Onboard Storage Bin	●	●	●	●
AMP4200 42" Riding Mower Mulch Plug	●		●	●
AMS1000 Z6 Zero Turn Riding Mower Sun Shade	●	●	●	●
ADT1000 Riding Mower Tow Behind Utility Cart	●	●	●	●
CRM001 42" Zero Turn Riding Mower Cover	●	●	●	●

MOWER ACCESSORIES

AB2000

20" Mower Blade



AB2001

20" High-Lift Mower Blade



AB2100

21" Mower Blade



AB2100D

Extended Run Time Blade Set



AB2101

21" High-Lift Mower Blade



AB2101D

Mulching Blade Set



AB2102

21" Mower Blade



AB2102D

High-Lift Bagging Blade Set



AB2103

21" Mower High-Lift Blade



AB2200D

High-Performance Blade Set



AB2201D

High-Lift Bagging Blade Set



AB2211D

22" Super Composite Mower High-Performance Blade Set



AB2212D

22" Super Composite Mower High-Lift Bagging Blade Set



CM001

Mower Cover



MOWER ACCESSORIES COMPATIBILITY MATRIX

	1100 SERIES	1000 SERIES		800 SERIES			600 SERIES		
	LM2206SP LM2200SP	LM2244SP-2 LM2240SP	LM2236SP	LM2156SP LM2150SP LM2156SP-2	LM2135SP LM2130SP LM2132SP-2 LM2134SP-2	LM2135 LM2130	LM2125SP LM2120SP LM2122SP-2 LM2123SP-2	LM2114SP LM2110SP	LM2114 LM2110 LM2112
AB2100D Extended Run Time Blade Set				●	●	●			
AB2101 21" High-Lift Mower Blade									
AB2101D Mulching Blade Set				●	●	●			
AB2102 21" Mower Blade							●	●	●
AB2102D High-Lift Bagging Blade Set				●	●	●			
AB2103 21" Mower High-Lift Blade							●	●	●
AB2200D High-Performance Blade Set	●								
AB2201D High-Lift Bagging Blade Set	●								
AB2211D 22" Super Composite Mower High-Performance Blade Set		●	●						
AB2212D 22" Super Composite Mower High-Lift Bagging Blade Set		●	●						
CM001 Mower Cover				●	●	●	●	●	●

STRING TRIMMER ACCESSORIES

AH1300

15" Bump String Trimmer Replacement Head



AH1520

15" POWERLOAD™ String Trimmer Replacement Head



AH1522

15" POWERLOAD™ String Trimmer Replacement Head



AH1530

15" Rapid Reload+ String Trimmer Replacement Head



AH1531

15" Rapid Reload+ String Trimmer Replacement Head



AH1620

16" LINE IQ™ String Trimmer Replacement Head



AS1300

15" String Trimmer Replacement Spool



UNIVERSAL TRIMMER ACCESSORIES

AL2420P

Pre-Cut Twisted Trimmer Line
0.095" x 14' / 5 pre-cut coils



AL2420PB

Premium Pre-Cut Twisted Trimmer Line
0.095" x 14' / 5 pre-cut coils



AL2420PD

Dual Color Pre-Cut Twisted Trimmer Line
0.095" x 14' / 5 pre-cut coils



AL2438

High-Performance Twisted Trimmer Line
0.095" x 125'



AL2450S

Twisted Trimmer Line
0.095" x 164'



AL2470B

Premium Twisted Trimmer Line
0.095" x 230'



STRING TRIMMER ACCESSORIES COMPATIBILITY MATRIX

	LINE IQ™		POWERLOAD™				RAPID RELOAD		DISCONTINUED	
	ST1623T ST1620T	MST1700 MST1704	STA1600 MST1603	ST1611T ST1610T	ST1511T ST1510T ST6151LB	ST1523S ST1521S ST1520S	ST1502SA ST1500SF ST1502LB ST1503LB	STA1500	ST1500	ST1530
AH1300 15" Bump String Trimmer Replacement Head							●		●	
AH1520 15" POWERLOAD™ String Trimmer Replacement Head				●		●				
AH1522 15" POWERLOAD™ String Trimmer Replacement Head					●					
AH1530 15" Rapid Reload+ String Trimmer Replacement Head							●			
AH1531 15" Rapid Reload+ String Trimmer Replacement Head								●		●
AH1620 16" LINE IQ™ String Trimmer Replacement Head	●									
AS1300 15" String Trimmer Replacement Spool									●	
AL2420P Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	●	●	●	●	●	●	●	●	●	●
AL2420PB Premium Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	●	●	●	●	●	●	●	●	●	●
AL2420PD Dual Color Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	●	●	●	●	●	●	●	●	●	●
AL2438 High-Performance Twisted Trimmer Line 0.095" x 125'	●	●	●	●	●	●	●	●	●	●
AL2450S Twisted Trimmer Line 0.095" x 164'	●	●	●	●	●	●	●	●	●	●
AL2470B Premium Twisted Trimmer Line 0.095" x 230'	●	●	●	●	●	●	●	●	●	●

BLOWER ACCESSORIES

AGC1000

Gutter Attachment



AN5300

Blower Nozzle



AN5801

Blower Spread Nozzle



AN6000F

Flat Blower Nozzle



AN6000R

Tapered Blower Nozzle



AST2000

Short Tube Attachment



UNIVERSAL BLOWER ACCESSORIES

AP1500

Shoulder Strap



BLOWER ACCESSORIES COMPATIBILITY MATRIX

	530 CFM	600 CFM	615 CFM	650 CFM	670 CFM	765 CFM	880 CFM
	LB5300 LB5302 ST1502LB ST1503LB	LB6000 LB6003	LB6150 LB6151 LB6153 ST6151LB	LB6500 LB6504	LB6700 LB6703	LB7650 LB7654 LB7654-2 LB7654-P	LB8800 LB8803-2
AGC1000 Gutter Attachment	●		●	●	●	●	●
AN5300 Blower Nozzle	●						
AN5801 Blower Spread Nozzle			●	●	●		
AN6000F Flat Blower Nozzle			●	●	●		
AN6000R Tapered Blower Nozzle			●	●	●		
AST2000 Short Tube Attachment	●		●	●	●	●	●
AP1500 Shoulder Strap	●	●	●	●	●	●	●

CHAIN/POLE SAW ACCESSORIES

AC1000

Multi-Head System
Pole Saw Chain



AC1000Q

10" Pole Saw Chain



AC1204

12" Compact Chain Saw Chain



AC1400

14" Chain Saw Chain



AC1600

16" Chain Saw Chain



AC1800

18" Chain Saw Chain



AC2005

20" Chain Saw Chain



AG1000

Multi-Head System
10" Pole Saw Bar



AG1000Q

10" Pole Saw Bar



AG1400

14" Chain Saw Guide Bar



AG1600

16" Chain Saw Guide Bar



AG1800

18" Chain Saw Guide Bar



AK1204

12" Compact Chain Saw
Bar & Chain Kit



AK1800

18" Chain Saw Bar & Chain Kit



AK2005

20" Chain Saw Bar & Chain Kit



BCS1000

Chain Saw Bag



UNIVERSAL CHAIN/POLE SAW ACCESSORIES

AOL1000

128 FL OZ Premium
Bar & Chain Lubricant



AOL3200

32 FL OZ Premium
Bar & Chain Lubricant



CHAIN/POLE SAW ACCESSORIES COMPATIBILITY MATRIX

	10"		12"	14"	16"		18"	20"
	PS1000 PS1001	PSA1000 MPS1001	CS1200 CS1201	CS1400 CS1401 CS1403	CS1600 CS1604	CS1610 CS1611 CS1613	CS1800 CS1803 CS1804 CS1804-2	CS2000 CS2005
AC1000 Multi-Head System Pole Saw Chain		●						
AC1000Q 10" Pole Saw Chain	●							
AC1204 12" Compact Chain Saw Chain			●					
AC1400 14" Chain Saw Chain				●				
AC1600 16" Chain Saw Chain					●	●		
AC1800 18" Chain Saw Chain							●	
AC2005 20" Chain Saw Chain								●
AG1000 Multi-Head System 10" Pole Saw Bar		●						
AG1000Q 10" Pole Saw Bar	●							
AG1400 14" Chain Saw Guide Bar				●				
AG1600 16" Chain Saw Guide Bar					●	●		
AG1800 18" Chain Saw Guide Bar							●	
AK1204 12" Compact Chain Saw Bar & Chain			●					
AK1800 18" Chain Saw Bar & Chain							●	
AK2005 20" Replacement Bar & Chain								●
BCS1000 Chain Saw Bag			●	●	●	●	●	
AOL1000 128 FL OZ Premium Bar & Chain Lubricant	●	●	●	●	●	●	●	●
AOL3200 32 FL OZ Premium Bar & Chain Lubricant	●	●	●	●	●	●	●	●

SNOW BLOWER ACCESSORIES

ACT2400

Chute Cleaning Tool



ADC2400

Drift Cutters



AKS2130D

Single-Stage Snow Blower Skid Shoes (Pair)



AKS2400D

Snow Blower Skid Shoes



AKS2800D

2-Stage Snow Blower Skid Shoes (Pair)




ARP2100

Snow Blower Paddle



ARP2101

Snow Blower Paddle



ARP2120

Auger-Propelled Snow Blower Rubber Paddle Set



ASP2400

Snow Blower Shear Pins (1-Pack)



ASP2400D

Snow Blower Shear Pins (2-Pack)



ASS1200

12" Snow Shovel Scraper Bar



ASS2100

Snow Blower Scraper Bar



ASS2120

Auger-Propelled Snow Blower Scraper Bar



ASS2130

21" Single-Stage Snow Blower Scraper Bar



ASS2400

2-Stage Snow Blower Scraper Bar



ASS2800

28" 2-Stage Snow Blower Scraper Bar



AVB1200

12" Snow Shovel Belt



AVB2120

Auger-Propelled Snow Blower Belt



AVB2306

Snow Blower Belt



CB002

Snow Blower Cover



CB003

2-Stage Snow Blower Cover



CB004

2-Stage Snow Blower Cover



SNOW ACCESSORIES COMPATIBILITY MATRIX

	12"		21"				24"		28"
	MSS1203	SNS1200 SNS1201	SNT2100 SNT2101 SNT2101	SNT2110 SNT2112 SNT2114	SNT2120AP SNT2125AP	SNT2130 SNT2134	SNT2400 SNT2405 SNT2406-4	SNT2410 SNT2416	SNT2800 SNT2807
ACT2400 Chute Cleaning Tool							●	●	●
ADC2400 Drift Cutters							●	●	●
AKS2130D Single-Stage Snow Blower Skid Shoes (Pair)						●			
AKS2400D Snow Blower Skid Shoes							●	●	
AKS2800D 2-Stage Snow Blower Skid Shoes (Pair)							●	●	●
ARP2100 Snow Blower Paddle			●						
ARP2101 Snow Blower Paddle				●					
ARP2120 Auger-Propelled Snow Blower Rubber Paddle Set					●				
ASP2400 Snow Blower Shear Pins (1-Pack)							●	●	●
ASP2400D Snow Blower Shear Pins (2-Pack)							●	●	●
ASS1200 12" Snow Shovel Scraper Bar	●	●							
ASS2100 Snow Blower Scraper Bar			●	●					
ASS2120 Auger-Propelled Snow Blower Scraper Bar					●				
ASS2130 21" Single-Stage Snow Blower Scraper Bar						●			
ASS2400 2-Stage Snow Blower Scraper Bar							●	●	
ASS2800 28" 2-Stage Snow Blower Scraper Bar									●
AVB1200 12" Snow Shovel Belt		●							
AVB2120 Auger-Propelled Snow Blower Belt					●				
AVB2306 Snow Blower Belt			●	●					
CB002 Snow Blower Cover			●	●	●	●			
CB003 2-Stage Snow Blower Cover							●	●	
CB004 2-Stage Snow Blower Cover							●	●	●

MULTI-HEAD ACCESSORIES

BMH1000


Multi-Head System Carrying Bag



AUGER ACCESSORIES

AB08001

8" Ice Auger Bit Blade



ABE2000

20" Auger Bit Extension



AET0400

4" Earth Auger Bit



AET0600

6" Earth Auger Bit



AET0800

8" Earth Auger Bit



AET1000

10" Earth Auger Bit



AIT0800

8" Ice Auger Bit



CLEANING ACCESSORIES

AFC3200

Premium Brass Foam Cannon



ANK2100

2100 PSI Pressure Washer Nozzle Kit



ANK3200

3200 PSI Pressure Washer Nozzle Kit



ANZ3200

0° Nozzle for Pressure Washer



AVF0900

Replacement Filter for Wet/Dry Vacuum



AVG0905

Dust Bags (5-Pack) for Wet/Dry Vacuum



AVH0907

1-7/8" x 7' Replacement Vacuum Hose



LIFESTYLE ACCESSORIES

CFN001

18" Misting Fan Cover



SAFETY ACCESSORIES

GS001

Safety Glasses with Clear Lenses



GS002

Safety Glasses with Gray Lenses



GS003

Safety Glasses with Yellow Lenses



GV001M

Work Gloves (Medium)



GV001L

Work Gloves (Large)



GV001XL

Work Gloves (X-Large)



GV001XXL

Work Gloves (XX-Large)





POWER BEYOND BELIEF™



EGO™
COMMERCIAL

2025 PRODUCT CATALOG





TABLE OF CONTENTS

EGO Commercial PGX™ Charging	84
EGO Commercial Mowers	94
EGO Commercial Blower	96
EGO Commercial String Trimmer	100
EGO Commercial Bike Handle Brush Cutter	102
EGO Commercial Edger	104
EGO Commercial Pole Hedge Trimmer	106
EGO Commercial Telescopic Pole Saw	110
EGO Commercial Chain Saw	112
EGO Commercial Multi-Head	114
EGO Commercial Battery Technology	116
EGO Commercial Accessories	118
EGO Commercial Power Manager	120



**MAXIMIZE
YOUR UPTIME**

**WORK
ALL DAY**



CHARGE OVERNIGHT

PGX[™] COMMERCIAL CHARGING SYSTEM

A flexible charging solution that
scales to your business.



PGX[™] 1600W HUB

Mounts in a
building, van, or
trailer, and runs
off any standard
15A circuit



PGX[™] 3-PORT DOCK

Simultaneously
charges up to
three EGO 56V
ARC Lithium[™]
batteries



**PGX™
POWER BANK**

Charges 30+ Ah
of portable
batteries during
the day





IT STARTS WITH THE POWER HUB

- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGXTM COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT

PGX1600H

PGX™ COMMERCIAL CHARGING 1600W HUB



POWER REQUIREMENT	15A CIRCUIT
INPUT WATTAGE	1600W
OUTPUT CURRENT	24A
CONNECTIVITY	BLUETOOTH & WIFI
DIMENSIONS	16" x 6.25" x 10"



CHARGE UP TO 70 BATTERIES (15kWh) OVERNIGHT

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX[™] HUB
- DOCKS CHARGE IN SERIES

PGX3000D

PGX™ COMMERCIAL CHARGING 3-PORT DOCK



CHARGE STATUS INDICATOR

INTEGRATED LOCKING BAR
(REQUIRES 7MM SHACKLE PADLOCK)

E-TRACK COMPATIBLE
(REQUIRES AEK1000
ACCESSORY KIT,
SOLD SEPARATELY)

RUGGED 2-FOOT
CONNECTION CABLE



CHARGE 3 BATTERIES SIMULTANEOUSLY

STEEL-REINFORCED THROUGH-HOLE SCREW MOUNTING



7x MOUNTING HOLE LOCATIONS

POWER REQUIREMENT	PGX™ HUB (15A CIRCUIT)
EXPANDABLE	Yes
DIMENSIONS	23.5" x 6.75" x 11.5"



CHARGE DURING THE DAY

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY



PGX3100K

PGX™ COMMERCIAL POWER BANK KIT

KIT INCLUDES:
POWER BANK
2.2kWh (40Ah) HIGH-CAPACITY BATTERY
(2) 7.5Ah BATTERIES
PGX™ CABLE

POWER STATUS LED & BATTERY CHARGE STATUS LED



INTEGRATED LOCKING BAR (REQUIRES 7MM SHACKLE PADLOCK)



STACK UP TO 2 UNITS

CHARGE TWO BATTERIES SIMULTANEOUSLY

ROBUST ROLL CAGE DESIGNED FOR MAXIMUM DURABILITY

EXPANDABLE
CONNECT MORE PGX™ SYSTEM UNITS TOGETHER TO CHARGE MORE BATTERIES

FUEL GAUGE
INTEGRATED FOLDING HANDLE



HC2240T

VOLTAGE	56V
ENERGY	2.2kWh (40Ah)
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME	120 MINUTES (40Ah HIGH CAPACITY)
CONNECTIVITY	BLUETOOTH
WEIGHT	39 LBS
DIMENSIONS	13.3" x 6.8" x 12.7"
WEATHER RESISTANCE RATING	IPX4

PGX3100K

AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME (AC)	120 MINUTES (40Ah HIGH CAPACITY)
CHARGE TIME (DC)	75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 2.5Ah
DC CHARGING SPEED	2x 700W
EXPANDABLE	YES
CONNECTIVITY	BLUETOOTH
WEIGHT	38 LBS
DIMENSIONS	20.25" x 16.5" x 16"
WEATHER RESISTANCE RATING	IPX4



INDUSTRY'S MOST POWERFUL GAS OR CORDLESS WALK-BEHIND MOWER



Compared to 22" and below
deck size commercial walk behinds

LMX5300SP

COMMERCIAL 22" ALUMINUM DECK SELF-PROPELLED LAWN MOWER

**PEAK
POWER
TECHNOLOGY**

COMBINES THE
POWER OF
TWO OR MORE
EGO ARC LITHIUM™
BATTERIES



GAS EQUIVALENT	230CC RATING
TORQUE	14.8 FT-LBS
MAX POWER	4000W
RATED POWER	1600W
RUNTIME with two 12.0Ah batteries	UP TO 120 MINUTES
RECHARGE TIME with two 12.0Ah batteries using PGX™ Power Bank	75 MINUTES
BATTERY WATTS	8960
SELF-PROPELLED	YES

CUTTING SYSTEM	COMMERCIAL SINGLE BLADE
CUTTING HEIGHTS	8
DECK SIZE	22"
MAX BLADE TIP SPEED	18,000 FPM
DECK MATERIAL	ALUMINUM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
WEIGHT bare tool	99.2 LBS
WEATHER RESISTANCE RATING	IPX5



NOBODY HAS MORE POWER

Based on September 2024 cordless commercial BP blowers available

LBPX1100

COMMERCIAL 1100 CFM BACKPACK BLOWER WITH PEAK POWER™



DUAL GRAB HANDLES

3-POINT SUPPORT BASE FOR STABILITY

OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME

PREMIUM STRAPS & BACK PADS WITH IMPROVED ADJUSTABILITY AND BACK PADS WITH ADDED LUMBAR SUPPORT TO EVENLY DISTRIBUTE WEIGHT FOR ALL-DAY COMFORT

DIGITAL CONTROLS WITH TURBO LOCK TAILOR PERFORMANCE TO THE WAY YOU WORK

FULLY ADJUSTABLE HAND GRIP & TUBE



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

GAS EQUIVALENT	65CC RATING
CLEARING CAPACITY	1100 CFM
AIR SPEED with nozzle	190 MPH
PUSH FORCE	36N
MAX POWER	2700W
RUNTIME with two 12.0Ah batteries	UP TO: 240 MINS ON LOW 36 MINS ON HIGH 30 MINS ON TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™ with PEAK POWER™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	21.2 LBS
WEATHER RESISTANCE RATING	IPX5

LBPX8010

COMMERCIAL 800 CFM BACKPACK BLOWER WITH PEAK POWER™



PREMIUM STRAPS & BACK PADS

DIGITAL CONTROLS WITH TURBO LOCK
TAILOR PERFORMANCE TO THE WAY YOU WORK

FULLY ADJUSTABLE HAND GRIP & TUBE

3-POINT SUPPORT BASE FOR STABILITY

DUAL GRAB HANDLES

OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME

PEAK POWER TECHNOLOGY™

COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

GAS EQUIVALENT	60CC RATING
CLEARING CAPACITY	800 CFM
AIR SPEED	190 MPH
PUSH FORCE	26N
MAX POWER	1900W
RUNTIME with two 12.0Ah batteries	UP TO: 240 MINS ON LOW 64 MINS ON HIGH 50 MINS ON TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™ with PEAK POWER™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	16.3 LBS
WEATHER RESISTANCE RATING	IPX5

Additional SKU Configurations:


LBPX8000 Batteries and charger not included. IoT not included.

LBPX8004-2 Includes (2) 6.0Ah batteries and 280W Dual Port charger. IoT not included.

LBPX8006-2 Includes (2) 10.0Ah batteries and 280W Dual Port charger. IoT not included.

LBX1000

COMMERCIAL 1000CFM HANDHELD BLOWER



GAS EQUIVALENT	60CC RATING
CLEARING CAPACITY	1000 CFM
STANDARD OPERATING RANGE	450 - 800 CFM
AIR SPEED with nozzle	185 MPH
PUSH FORCE	32N
RUNTIME with 10.0Ah battery	UP TO: 100 MINS / LOW 30 MINS / HIGH 20 MINS / TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	7.3 LBS
WEATHER RESISTANCE RATING	IPX5



20% MORE POWER

Compared to ST1623T

STX4500

COMMERCIAL 17.5" STRING TRIMMER



GAS EQUIVALENT	35CC RATING
MAX POWER	1600W
RATED POWER	1200W
RUNTIME with 5.0Ah battery on low	UP TO 60 MINUTES
MAX CUTTING CAPACITY	17.5"
MAX LINE DIAMETER	0.120"
HEAD ROTATION	COUNTER-CLOCKWISE
SPEEDS no load RPM	3500/4500/5700 RPM 3-SPEED DIGITAL CONTROL
SHAFT MATERIAL	CARBON FIBER
LINE LOAD	RAPID RELOAD
DRIVE SHAFT	SOLID STEEL
AUXILIARY HANDLE CONSTRUCTION	OVERMOLDED
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
TOOL LENGTH	72"
WEIGHT bare tool	9 LBS
WEATHER RESISTANCE RATING	IPX5




MORE POWER THAN GAS

Compared to Stihl FS111

BCX4500

COMMERCIAL 12" BIKE HANDLE BRUSH CUTTER



HIGH-PERFORMANCE
BRUSHLESS MOTOR

3-SPEED DIGITAL SPEED CONTROL

VARIABLE SPEED,
INSTANT-ON TRIGGER

QUICK-ADJUST
HANDLEBARS

CARBON FIBER SHAFT
STRONG AND LIGHT

SHOULDER
HARNESS
INCLUDED

HIGH STRENGTH TRI BLADE
BLASTS THROUGH FINE
FESCUE TO 1 INCH SAPPLINGS

COMPATIBLE WITH AH3810
(SOLD SEPARATELY)

GAS EQUIVALENT	35CC RATING
MAX POWER	1600W
RATED POWER	1200W
RUNTIME with 7.5Ah battery on low	UP TO 60 MINUTES
MAX CUTTING CAPACITY	12", 3-TOOTH BLADE
HEAD ROTATION	COUNTER-CLOCKWISE
SPEEDS no load RPM	3500/4500/5700 RPM 3-SPEED DIGITAL CONTROL
SHAFT MATERIAL	CARBON FIBER
DRIVE SHAFT	SOLID STEEL
HANDLE BAR ADJUSTABILITY	QUICK ADJUST
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
TOOL LENGTH	72"
WEIGHT bare tool	11.2 LBS
WEATHER RESISTANCE RATING	IPX5


**5X
LONGER
LIFE**



Measured in hours compared to previous EGO model


EDX2000

COMMERCIAL 8" STRAIGHT SHAFT EDGER



EDX2000-C

COMMERCIAL 8" CURVED SHAFT EDGER



	EDX2000	EDX2000-C
GAS EQUIVALENT	25CC RATING	
MAX POWER	1600W	2300W
RATED POWER	1200W	1600W
RUNTIME with 5.0Ah battery on low	UP TO 60 MINUTES	
BLADE SIZE	8"	
MAX CUTTING DEPTH	3"	
ARBOR SIZE	1 INCH	
SPEEDS no load RPM	3000/4000/4500 RPM	4000/5500/7000 RPM
SHAFT MATERIAL	CARBON FIBER	ALUMINUM
SHAFT STYLE	STRAIGHT	CURVED
DRIVE SHAFT	SOLID STEEL	FLEXIBLE
BATTERY TECHNOLOGY	56V ARC LITHIUM™	
HOUSING	UV-RESISTANT COMPOSITE	
TOOL LENGTH	69.5"	67.3"
WEIGHT bare tool	10.4 LBS	
WEATHER RESISTANCE RATING	IPX5	




**INDUSTRY
LEADING
DURABLE
CARBON
FIBER RAILS**

Compared to MHT2001

HTX5300-PA

COMMERCIAL 21" ARTICULATING POLE HEDGE TRIMMER



HIGH-PERFORMANCE BRUSHLESS MOTOR

3-SPEED DIGITAL SPEED CONTROL

VARIABLE SPEED, INSTANT-ON TRIGGER

OVERMOLDED QUICK-ADJUST HANDLE

SHOULDER STRAP HOOK (SHOULDER STRAP INCLUDED)



CARBON FIBER SHAFT STRONG AND LIGHT

180° 10-POSITION ARTICULATING HEAD ULTIMATE CONTROL

SERVICEABLE GEARBOX & BLADES EASY SHARPENING


CARBON FIBER RAIL STRONG AND LIGHT

TRIPLE-SIDED LASER CUT BLADES



HTX5310-P

**COMMERCIAL 21" EXTENDED POLE
HEDGE TRIMMER**



HIGH-PERFORMANCE
BRUSHLESS MOTOR

3-SPEED DIGITAL
SPEED CONTROL

SHOULDER STRAP HOOK
(SHOULDER STRAP INCLUDED)

VARIABLE
SPEED,
INSTANT-ON
TRIGGER

CARBON FIBER
SHAFT
STRONG AND
LIGHT


SERVICEABLE
GEARBOX &
BLADES
EASY
SHARPENING

TRIPLE-
SIDED
LASER CUT
BLADES

CARBON FIBER RAIL
STRONG AND LIGHT

HTX5300-P

COMMERCIAL 21" SHORT POLE HEDGE TRIMMER



	HTX5300-PA	HTX5310-P	HTX5300-P
GAS EQUIVALENT	25CC RATING		
MAX POWER	1000W		
RATED POWER	650W		
RUNTIME with 2.5Ah battery on low	UP TO 75 MINUTES		
BLADE	21-INCH DUAL-ACTION HARDENED STEEL		
CUTTING CAPACITY	1.1"		
CUTTING POSITIONS	45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180°	0°	
HEAD ROTATION	180° ARTICULATING MAX RANGE	FIXED	
SPEEDS	3200/3600/4000 RPM		
SHAFT MATERIAL	CARBON FIBER		
GEARBOX	DIE CAST ALUMINUM/SERVICEABLE		
BATTERY TECHNOLOGY	56V ARC LITHIUM™		
HOUSING	UV-RESISTANT COMPOSITE		
SHAFT LENGTH	59"	42"	20"
OVERALL LENGTH	98.2"	82.7"	59.1"
WEIGHT bare tool	11 LBS	9.0 LBS	9.2 LBS
WEATHER RESISTANCE RATING	IPX5		




40% LIGHTER

Compared to dedicated telescoping pole saws

PSX2510

COMMERCIAL 10" TELESCOPIC POLE SAW



QUICK-ADJUST HANDLE

SHOULDER STRAP HOOK
(SHOULDER STRAP INCLUDED)

TELESCOPIC
CARBON FIBER
SHAFT
STRONG, LIGHT,
VERSATILE

HIGH-PERFORMANCE
BRUSHLESS MOTOR

MANUAL CHAIN
TENSIONING

METAL
LIMB
HOOK

GAS EQUIVALENT	25CC RATING
RUNTIME with 2.5Ah battery	UP TO 110 CUTS
BAR LENGTH	10"
SHAFT MATERIAL	CARBON FIBER
CHAIN SPEED	VARIABLE SPEED UP TO 20 M/S
CHAIN SPECS	1/4 INCH PITCH .043 INCH GAUGE 56 DRIVE LINKS
CHAIN ADJUSTMENT	MANUAL
LIMB HOOK	METAL
EXTENSION METHOD	TELESCOPING
MAX TOOL LENGTH	UP TO 13 FEET
TOOL REACH EXTENDED with included extension pole	UP TO 17 FEET
OILING	AUTOMATIC
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	9.3 LBS
WEATHER RESISTANCE RATING	IPX5

INDUSTRY'S MOST ADVANCED CHAIN SAW

Based on September 2024 cordless 20" chain saws available

CSX5000

COMMERCIAL 20" CHAIN SAW

BACKLIT DISPLAY

- SAFETY BRAKE ON/OFF
- LED WORK LIGHT
- BLUETOOTH
- 3-MODE SPEED SELECT
- BATTERY FUEL GAUGE
- OVERLOAD INDICATOR
- LOW OIL INDICATOR
- OIL FLOW CONTROL



KICKBACK BRAKE WITH LED INDICATOR

20" BAR & FULL CHISEL CHAIN

LED WORK LIGHT



AUTO SAFETY BRAKE

METAL BUCKING SPIKES

HIGH-PERFORMANCE
BRUSHLESS MOTOR

Additional SKU Configurations:
CSX5007 Includes 8.0Ah battery and 550W charger.

CSX3000


COMMERCIAL 12" SERIES TOP-HANDLE CHAIN SAW




	CSX5000	CSX3000
GAS EQUIVALENT	60CC RATING	35.2CC RATING
MAX CUTTING CAPACITY 4 x 4 wood	UP TO 275 CUTS with 8.0Ah battery	UP TO 265 CUTS with 5.0Ah battery
MAX POWER	3500W	2500W
RATED POWER	2700W	1800W
BAR LENGTH	20"	12"
CHAIN SPEED	30 M/S	20 M/S
CHAIN SPECS	.325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS	3/8 INCH PITCH .043 INCH GAUGE 45 DRIVE LINKS
CHAIN ADJUSTMENT	MANUAL	
OILING	AUTOMATIC	
CHAIN KICK BACK BRAKE	YES	
AUTO SAFETY BRAKE	YES	NO
BUCKING SPIKES	METAL	
DIGITAL USER INTERFACE	YES	NO
LED WORK LIGHT	YES	NO
BATTERY TECHNOLOGY	56V ARC LITHIUM™	
HOUSING	UV-RESISTANT COMPOSITE	
WEIGHT bare tool	13 LBS	7.7 LBS
WEATHER RESISTANCE RATING	IPX5	

Additional SKU Configurations:
CSX3003 Includes 5.0Ah battery and 550W charger.


ONE HEAD POWERS MULTIPLE TOOLS



PHX1600 COMMERCIAL POWER HEAD



GAS EQUIVALENT	35CC RATING
MAX POWER	1600W
RATED POWER	1200W
SPEED SETTINGS	6000/6500/7000 RPM
SHAFT ROTATION	COUNTER-CLOCKWISE
SHAFT MATERIAL	CARBON FIBER
SHAFT THICKNESS	2.0 MM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	9 LBS
WEATHER RESISTANCE RATING	IPX5



THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY

BETTER PERFORMANCE IS BUILT IN


No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- Patented power management system to maximize power and runtime
- An integrated fuel gauge that shows you how much power is left
- Two years with registration completed within 90 days from date of purchase. One-year warranty without registration



ARCTM **56V**
LITHIUM

ALL VOLTS ARE NOT CREATED EQUAL



VOLTAGE \neq PERFORMANCE

Performance of a battery is determined by a combination of **ENERGY(Wh)** and **POWER(W)**

$$\text{CAPACITY (Ah)} \times \text{VOLTAGE (V)} = \text{ENERGY (Wh)}$$

$$\text{VOLTAGE (V)} \times \text{CURRENT (A)} = \text{POWER (W)}$$

BA1400T

2.5Ah BATTERY
140Wh



BA4200T

7.5Ah BATTERY
420Wh



BA2242T

4.0Ah BATTERY
224Wh



BA4480T

8.0Ah BATTERY
448Wh



BA2800T

5.0Ah BATTERY
280Wh



BA5600T

10.0Ah BATTERY
560Wh



BA2800T-2

5.0Ah BATTERY 2-PACK
560Wh TOTAL



BA6720T

12.0Ah BATTERY
672Wh



BA3360T

6.0Ah BATTERY
336Wh



BA6720T-2

12.0Ah BATTERY 2-PACK
1,344Wh TOTAL



PGX™ CHARGING ACCESSORIES

ACE0700

PGX™ 2-FOOT POWER CABLE

Compatible with PGX3000D & PGX1400PB



ACE1500

PGX™ 5-FOOT POWER CABLE


Compatible with PGX3000D & PGX1400PB



AEK1000

PGX™ E-TRACK MOUNTING KIT

Compatible with PGX1600H & PGX3000D



MOWER ACCESSORIES

AB5301

22" High-Lift Commercial Blade



STRING TRIMMER ACCESSORIES

AD4510

TRIMMER GUARD

Compatible with STX4500 & BCX4500



AH3800

MANUAL LOAD BUMP HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AH3810

RAPID RELOAD TRIMMER HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AL2403

PREMIUM CRIMPED TRIMMER LINE

0.095" x 800' / 3 lbs.



AL2405

PREMIUM CRIMPED TRIMMER LINE

0.095" x 1400' / 5 lbs.



AL2420PB

PREMIUM PRE-CUT TWISTED TRIMMER LINE

0.095" x 14' / 5 pre-cut coils



STRING TRIMMER ACCESSORIES continued

AL2438

HIGH-PERFORMANCE TWISTED TRIMMER LINE

0.095" x 125'



AL2470B

PREMIUM TWISTED TRIMMER LINE

0.095" x 230'



AL2703

PREMIUM CRIMPED TRIMMER LINE

0.105" x 690' / 3 lbs.



AS3800

REPLACEMENT TRIMMER SPOOL

Compatible with STX3800, STX4500, BCX3800 & BCX4500



BRUSH CUTTER ACCESSORIES

ABB1203

3-TOOL METAL BLADE

Compatible with STX3800, STX4500, BCX3800 & BCX4500



ABB1203-1

3-TOOL METAL BLADE COMBO KIT

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AP4500D

DOUBLE SHOULDER BRUSH CUTTER HARNESS

Compatible with BCX4500




HEDGE TRIMMER ACCESSORIES

AHB5300P

21" HEDGE TRIMMER REPLACEMENT BLADE SET

Compatible with HTX5300-P & HTX5310-P



AHB5300PA

21" HEDGE TRIMMER REPLACEMENT BLADE SET

Compatible with HTX5300-PA



POLE SAW ACCESSORIES

AC1000Q

10" POLE SAW CHAIN

Compatible with PSX2510 & PSX2510-FC



AG1000Q

10" POLE SAW BAR

Compatible with PSX2510 & PSX2510-FC



EP1000

3.3 FOOT CARBON FIBER EXTENSION POLE

Compatible with PSX2510 & PSX2510-FC



CHAIN SAW ACCESSORIES

ABH3000

BATTERY HOLSTER

Compatible with CSX3000 & CSX3003



AC1200

12" CHAIN SAW CHAIN

.375" Pitch, .043" Gauge, 45 Drive Links
Compatible with CSX3000 & CSX3003



AC1635

16" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 66 Drive Links
Compatible with CSX5000 & CSX5007



AC1835

18" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 72 Drive Links
Compatible with CSX5000 & CSX5007



AC2035

20" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 78 Drive Links
Compatible with CSX5000 & CSX5007



AG1200

12" CHAIN SAW GUIDE BAR

Compatible with CSX3000 & CSX3003



AK1635

16" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 66 Drive Links
Compatible with CSX5000 & CSX5007



AK1835

18" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 72 Drive Links
Compatible with CSX5000 & CSX5007



CHAIN SAW ACCESSORIES continued

AK2035

20" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 78 Drive Links
Compatible with CSX5000 & CSX5007



SAW LUBRICANT

AOL1000

128 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable.
Water soluble for easy clean-up



AOL3200

32 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable.
Water soluble for easy clean-up



SAFETY

GS001

SAFETY GLASSES WITH CLEAR LENSES



GS002

SAFETY GLASSES WITH GRAY LENSES



GS003

SAFETY GLASSES WITH YELLOW LENSES



GV001M

WORK GLOVES

Size Medium, Synthetic Glove
(Note: gloves run small)



GV001L

WORK GLOVES

Size Large, Synthetic Glove
(Note: gloves run small)



GV001XL

WORK GLOVES

Size X-Large, Synthetic Glove
(Note: gloves run small)



GV001XXL

WORK GLOVES

Size XX-Large, Synthetic Glove
(Note: gloves run small)




POWER MANAGER LAUNCH NOW LIVE!



NOTHING ELSE LIKE THIS EXISTS TODAY

- ONLINE PLANNING TOOL REMOVES THE GUESS WORK
- UNDERSTAND TRANSITION COST
- SELF-SERVICE FOR USERS
- SALES TOOL FOR DEALERS



egocommercial.com/pages/power-manager

egocommercial.com/pages/power-manager-guide

SEND ALL QUESTIONS TO POWERMANAGER@EGOCOMMERCIAL.COM



POWER BEYOND BELIEF™

Your local dealer:

egopowerplus.com



All rights reserved. Neither this Catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this Catalog are correct at the time of going to print.

We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2025

EGOCTL-25